1968 AUTHORS' INDEX

Asterisk indicates abstract

Abatie, J. D. See Gottschalk, A.

Abels, J. and Bartelink, A. Gastric secretion of pertechnetate, 297*

Abington, R. A. See DeNardo, G. L.

Ackerman, N. B. Liver-tumor circulation, 297*

Adams, R. and Jaffe, H. L. Live color recording, 297*

Adatepe, M. H., Archer, W. E., Studer R. and Potchen, E. J. Indium-labeled compounds, 426

Adatepe, M. H. and Potchen, E. J. ^{113m}In-microcolloid for liver and spleen scanning, 298*

Adatepe, M. H.
See Bugele, B.
See Welch, M.

Albert, C. A. See Albert, S. N.

Albert, S. N. Plasma-volume and red-cell mass determinations, 504

Albert, S. N., Hirsch, E. F., Economopoulos, B. and Albert, C. A. Triple-tracer method for measuring fluid volume, 19

Alexander, W. D. See MacFarlane, S.

Alfidi, R. See Rodriguez-Antunez, A.

Allen, F. H., Verdon, T. A. and Chandler, B. F. Lung scan: An adjunct in the study of pulmonary carcinoma, 365*

Allen, F. H.
See Mante, C. M.
See Verdon, T. A.

Allen, W. E. and DiGiulio, W. Circadian variation of T-3 resin uptake and T-4, 298*

Alvarez, J. See Eberstadt, P.

Andrews, G. A. See Pfannenstiel, P.

Anger, H. O. and McRae, J. Transmission scintiphotography, 267

Anger, H. O.
See Ronai, P.
See Yano, Y.

Anghileri, L. J. and Dogàn, E. B. Intraperitoneal therapy with colloidal ^{32}P-chromic phosphate, 562

Anghileri, L. J. See Stern, H. S.

Anwar, M., Lathrop, K., Rosskelly, D. and Harper, P. V. Pertechnetate by liquid extraction, 298*

Appleyard, I. See Hulme, B.

Archer, W. E.
See Adatepe, M. H.
See Bugele, B.

Arguello, M. See Galand, P.

Ariel, I. M., Oropeza, R. and Galey, D. ^{131}I-ethiodol for treatment of lymphoma, 299*

Arkell, D. W. See Hulme, B.

Arnot, R. N. See Glass, H. I.

Aronow, S. and Ashare, A. B. Least-squares fit, 505

Aronow, S.
See Ashare, A. B.
See Wilensky, S.

Ashare, A. B., Bub, B., Potsaid, M. S., Ojemann, R. G., Aronow, S. and Sweet, W. H. Brain scanning with ^{99m}Tc and ^{74}As, 299*

Ashare, A. B., Pizer, S. M. and Brownell, G. L. Transform analysis of compartmental models, 365*

Ashare, A. B.
See Aronow, S.
See Wilensky, S.

Ashburn, W. L., Harbert, J. C., Briner, W. H. and Di Chiro, G. Cerebrospinal fluid rhinorrhea, 523

Ashburn, W. L., Harbert, J. C., Whitehouse, W. C. and Mason, D. T. Video system for recording with Anger camera, 554

Ashburn, W. L., Harbert, J. C., Whitehouse, W. C. and Murphy, R. E. Recording of dynamic studies with TV circuitry, 300*

Ashburn, W. L. See Harbert, J. C.

Aspin, N., Levison, H., Weng, T. R., Featherby, E. A. and Bryan, A. C. Ventilation and blood flow, 300*

Atkins, H. L. and Fleay, R. F. Data blending with ^{99m}Tc in thyroid scanning, 66

Atkins, H. L. and Richards, P.
Bone infarct by scanning with ^{99m}Tc-colloid, 163
Thyroid studies with $^{99m}TcO_4^-$, 7

Awwad, H. K. and Potchen, E. J. Clinical measurement of plasma-protein synthesis, 439

Baer, L. See Evens, R. G.

Bangs, C. C. See Coiner, D.

Barker, L. See Fischer, D. S.

Bartelink, A. See Abels, J.

Bartter, F. C. See Evens, R. G.

Basse-Cathalinat, B., Blanquet, P. C., Collignon, G. and Mirande-Lriberry, J. ^{47}Sc bone scans, 436

Batzdorf, U. See Knox, R.

Bauer, G. C. H. ^{85}Sr scintimetry in orthopaedics, 301*

Baxter, J. See Jackson, G. L.

Beck, C. R. See Blanquet, P. C.

Beck, R. N.
See Cohen, T. D.
See Gottschalk, A.
See Harper, P. V.
See Hoffer, P. B.

Beckner, W. M. See Strickland, G. T.

Beierwaltes, W. H., Varma, V. M., Counsell, R. E. and Lieberman, L. M. Malignant melanoma scanning with iodinated quinoline derivatives, 489

Beierwaltes, W. H., Varma, V., Counsell, R. E., Lieberman, L. M. and Morales, J. O. Scanning melanomas with quinoline, 301*

Beierwaltes, W. H.
See DiGiulio, W.
See Lieberman, L. M.
See Thomas, F. D.
See Varma, V.

Bekdik, F. C. Glucose assimilation and insulin secretion, 302*

Bekdik, F. C., Farmelant, M. H. and Tyson, I. Studies of tissue alloxan uptake, 31

Belko, J. S. See Sasahara, A. A.

Bell, R. L.
Brain scans and blood flow, 303*
^{86}Rb in liver metastasis, 302*

Bell, R. L. and Jones, W. G. RISA myeloencephalography, 302*

Bell, T. K. and Mackay, J. S. Effect of ^{131}I on PBI, 263

Bender, M. A.
President's Letter, SNM management, 1
President's Letter, Summary of FDA position, 43
President's Letter, Examining board in nuclear medicine, 89
President's Letter, Certification and bylaws, 209

Bennett, L. R.
See Surprenant, E.
See Webber, M. M.

Benoit, F. L., Torres, J. F. and Peterson, R. E. Whole-body bone scanning, 303*

Ben-Porath, M., Case, L. and Kaplan, E. Biological half-life of ^{75}Se-selenomethionine, 168, 303*

Ben-Porath, M., Clayton, G. and Kaplan, E. Tape recorder in multi-isotope scanning, 304*

Ben-Porath, M. See Kaplan, E.

Benson, D. F. See Patten, D. H.

Bentley, R. E., Potchen, E. J. and Gerth, V. W. Gamma camera using small digital computer, 304*

Benua, R. S., Weber, D. A., Kenny, P. J. and Laughlin, J. S. Digital scanning vs. photoscanning, 135

Benua, R. S. See Otte, W. K.

Bernstein, R. See Freeman, L. M.

Bertino, J. R. See Johns, D. G.

Binopoulos, D. See Kostamis, P.

Birchall, R. See Maxfield, W. S.

Black, T. C. See Pircher, F. J.

Blanquet, P. C., Beck, C. R., Fleury, J. and Palais, C. J. Digital data scanning of pancreas, 486

Blanquet, P. C. See Basse-Cathalinat, B.

Blau, M.
An answer to the AEC on ^{197}Hg-chlormerodrin, 206
See Ganatra, R. D.
See Sharma, S. M.

Blaufox, M. D., Gruskin, A., Katz, M., Meng, C. and Elkin, M. Renal blood flow with ^{133}Xe, 304*

Blaufox, M. D. See Strauss, B. S.

Block, M. A. See Miller, J. M.

Blois, M. S. Melanoma detection with radioiodoquine, 492

Blosser, N. M. See Jackson, G. L.

Blue, J. See Sodd, V. J.

Bonte, F. J., Parkey, R. W. and Curry, G. C. Splanchnic blood-pool scanning, 305*
Botti, R. E. See Razzak, M. A.
Boyce, H. W. See Johnston, G. S.
Bradley, E. M. See Young, R. L.
Bramlet, R. C. Phantom, 260
Brandly, J. M. See Fritsch, B. A.
Branson, B. M., Dvorak, V. and Wellman, H. N. Total-body profile scanning, 366*
Brant, A. See Glass, H. I.
Brettschneider, L. See Brown, D. W.
Briggs, R. C. and Skor, R. B. Choroid plexus meningioma, 131
Brill, A. B. See Nash, R.
Briner, W. H.
Preparation of ^{125}I-MAA for RES function, 482
See Ashburn, W. L.
Brodie, E. C. See Redekop, J. B.
Brody, K. R. See Spencer, R. P.
Brown, D. W. and Groome, D. S. Scan computer processing, 305*
Brown, D. W., Groth, C. G., Brettschneider, L., Cordes, D., Cleaveland, J. D., Trow, R. and Starzl, T. E. ^{99m}Tc-sulfide scanning in liver transplants, 306*
Brown, J. M. See Cliggett, P. A.
Brownell, G. L.
Nuclear Pioneer Lecture, 294, 296
See Ashare, A. B.
See Wilensky, S.
Brunner, P. N. See Torres, J. F.
Bruno, F. P., Sorsdahl, O. A. and Williams, C. M. Production of ^{113m}In-labeled macro-iron hydroxide, 366*
Bryan, A. C. See Aspin, N.
Bryant, N. See Crews, M. C.
Bub, B. See Ashare, A. B.
Buchanan, C. R. Comments from the AEC on ^{197}Hg-chlormerodrin, 502
Buchanan, J. W. See Zolle, I.
Bugele, B., Adatepe, M., Archer, W. E., Welch, M. and Potchen, E. J. Preparation of indium compounds for scanning, 377*
Burdine, J. A., Waltz, T. A., Matsen, F. A. and Rapp, F. Indium compounds for brain, 306*
Burdine, J. A. See Legeay, R.
Burke, E. C. See Tauxe, N. W.
Burke, G., Halko, A. and Goldberg, D. Radiopulmonary cardiography, 306*
Burnham, C. A. See Wilensky, S.
Burrows, B. A.
See Farmelant, M. H.
See Genna, S.
Butler, D. See MacIntyre, W. J.
Byrd, B. L. See Hayes, R. L.
Campione, K. M. and Steiner, S. H. Precordial isotope dilution curves, 630
Cannon, P. J. See Johnson, P. M.
Cantor, R. E. See Charkes, N. D.
Carlson, J. C. See Meade, R. C.
Carlton, J. E. See Hayes, R. L.
Carroll, M. See Dworkin, H. J.
Carter, J. See Mishkin, F. S.
Carulli, N. See Kaihara, S.
Case, L. F.
See Ben-Porath, M.
See Kanabrocki, E.
Cassen, B., Gass, H. and Crandall, P. Improved section scanner, 307*
Cassen, B. See Neff, R. D.
Castle, J. N. See Cavalieri, R. R.
Cavalieri, R. R., Castle, J. N. and Searle, G. L. Free thyroxine in serum, 307*
Cazee, C. R. See Eskelson, C. R.
Chandler, B. F. See Allen, F. H.
Chang, P. K. See Johns, D. G.
Charkes, N. D.
Choice of isotope for thyroid, 504
Stereoscintiphotography, 308*
Charkes, N. D. and Cantor, R. E. Therapy of toxic goiter, 307*
Charkes, N. D. and Durant, J. Strontium scans in myeloma, 308*
Charkes, N. D. and Somburanasin, R. Stereoscintiphotography, 494
Charleston, D. B.
See Gottschalk, A.
See Harper, P. V.
See Hoffer, P. B.
Chayawatanangkur, K. See Nilubol, M. L. A.
Cheng, H. F. and Peterson, R. E. Iodination of leukocytes, 308*
Chervony, I. See Marks, A.
Chin, F. See Kennady, J. C.
Chisholm, D. J. See Young, J. D.
Cho, C. M., Greco, J. and Kaplan, E. Ion-binding measurement by isotopic exchange, 175
Chodos, R. B., Webb, D. I. and Faloon, W. W. B_{12} absorption in humans, 309*
Chretien, J. See Galand, P.
Chua, G. T. See Mishkin, F. S.
Ciccio, S. S. See Farrer, P. A.
Clark, J. C. See Glass, H. I.
Clayton, G. D.
See Ben-Porath, M.
See Kaplan, E.
Cleaveland, J. D. See Brown, D. W.
Cliggett, P. A. and Brown, J. M. Radiopharmaceutical assay, 236
Coberly, J. C. See Dratz, A. F.
Cohen, A. See Verdon, T. A.
Cohen, M. B. False-positive liver scan, 309*
Cohen, M. B., Spolter, L., Kleiner, E. and Masuoka, D. Turnover and toxicity of ^{99m}Tc-S-colloid, 309*
Cohen, P. See Fish, M. B.
Cohen, T. D., Harper, P. V. and Beck, R. N. Scanning optimization, 310*
Cohn, H. J.
Definition of nuclear medicine, 465
See Ward, C. A.
Cohn, H. J. and Soiderer, M. H. Tissue vascularity in positive brain scans, 310*
Coiner, D., Bangs, C. C., Walsh, J. R. and Ritzmann, L. W. Serum cardiac glycoside assay method and clinical use, 377*
Colestock, H. See Thomas, F. D.
Collignon, G. See Basse-Cathalinat, B.
Colombetti, L. G., Hermanson, R. and Goodwin, D. A. Distribution of ^{113m}In-colloids, 310*
Coltman, J. W. See Keller, E. L.
Colvin, M. See Moore, W.
Colvin, T. See Thomas, F. D.
Comar, D. See Lenihan, J. M. A.
Connor, T. B. See Workman, J. B.
Constantinides, C., Kostamis, P., Kehayioglou, K., Sfontouris, J. and Malamos, B. ^{47}Ca absorption in bile-duct ligated rats, 310*
Constantinides, C. See Kostamis, P.
Cook, K. See Izenstark, J. L.
Cooper, J. F. See Williams, K. D.
Coppler, M., Grams, L. R., Kovaleski, B. and Franco, J. Simplified Schilling test, 382*
Cordes, D. See Brown, D. W.
Corson, M. L. See Jackson, G. L.
Counsell, R. E.
See Beierwaltes, W. H.
See Varma, V.
Cradduck, T. D.
Patient-picture orientation, 270
Performance of scanners, 210
Crandall, P. See Cassen, B.
Crews, M. C., Quinn, J. L., and Bryant, N. Quality control of radiopharmaceuticals, 310*
Cruse, J. R. See Johnston, G. S.
Cuarón, A. and Gordon, F.
New index related to free T_4 concentration in serum, 366*
New test for border-line hyperthyroidism, 367*
Thyroxine in serum, 311*
Curry, G. C. See Bonte, F. J.
Curtis, G. S. See MacIntyre, W. J.
Czerwonka, O. R. See Nataro, M.
Davidson, J. D. See Harbert, J. C.
Davis, T. P. See Keller, B.
Dawson, E. B., Menon, M. P., Wainerdi, R. E. and McGanity, W. J. Activation analysis of placental trace metals, 160
Day, L. G. See Glass, H. I.
de Garetta, A. C. See Glass, H. I.
De Grazia, J. See Fish, M. B.
Dekaban, A. S. Abnormalities caused by x-ray exposure, 471
Delahay, J. E. See Yeh, S.
Deland, F. H., Donnellan, S. A. M. and Wagner, H. N. Assay of antistreptolysin-O, 382*
Deland, F. H. and Wagner, H. N. Brain scanning in nerve deafness, 311*
Dempsey, B. See Jacobs, K. M.
DeNardo, G. L., Duffy, G. J. and Abington, R. A. Radioactive pulmonary emboli, 367*
DeNardo, G. L., McHardy-Young, S. and Goodwin, D. A. Distribution of ventilation, 312*
DeNardo, G. L. See Goodwin, D. A.
Derman, A. See Freeman, L. M.
DiChiro, G. See Ashburn, W. L.
DiGiulio, W. and Beierwaltes, W. H. Localization of DDD analog, 634
DiGiulio, W.
See Allen, W. E.
See Kang, G. S.
Dixon, H. G. See Glass, H. I.

Dodge, J. T., Lynch, P. A. and Edwards, M. D. Overlap photoscan, 312*
Dogàn, E. B. See Anghileri, L. J.
Doniach, D. See McHardy-Young, S.
Donnellan, S. A. M. See Deland, F. H.
Dore, E. K. See Poe, N. D.
Douglas, C. H. and Surprenant, E. TV scintiphotography, 312*
Douxfils, N. See Galand, P.
Dratz, A. F. and Coberly, J. C. Heterogeneous sample counting, 313*
DuBois, P. See Mishkin, F. S.
Duffy, G. J. See DeNardo, G. L.
Dunn, A. L. See Eskelson, C. D.
Durant, J. See Charkes, N. D.
Dvorak, V. See Branson, B. M.
Dworkin, H. J. and Carroll, M. Radiation sensitivity of thyroid cell function, 313*
Dyer, G. R. See McClain, W. J.
Dykes, P. W. See Hulme, B.
Early, P. J., Miller, W., Hubbard, D. L. Inexpensive phantoms, 271
Early, P. J. See Hubbard, D. L.
Eberstadt, P., Alvarez, J. and Ungay, F. A. Glomerular filtration rate with ^{131}I-iothalamate, 582
Eckert, J. A. See Vogel, J. M.
Eckstein, R. W. See MacIntyre, W. J.
Economopoulos, B. See Albert, S. N.
Edwards, C. L., Tanida, R. and Gibbs, W. D. Tracer and treatment discrepancy as a complication of ^{131}I therapy, 367*
Edwards, C. L., Tanida, R. and Mora, R. Laminar thyroid scans, 313*
Edwards, C. L. See Goswitz, F. A.
Edwards, M. D. See Dodge, J. T.
Edwards, R. Q. See Kuhl, D. E.
Egleston, T. A. See Rodriguez-Antunez, A.
Elkin, M. See Blaufox, M. D.
Elliott, M. S. See Smith, R. O.
Eskelson, C. D., Jacobi, H. P., Dunn, A. L., and Cazee, C. R. Cholosterol biosynthesis, 314*
Evans, T. C. See Morrison, R. T.
Evatt, B. See McIntyre, P. A.
Evens, R. G., Baer, L., Gill, J. R. and Bartter, F. C. Exchangeable sodium in man, 314*
Faloon, W. W. See Chodos, R. B.
Farmelant, M. H., Genna, S., Sachs, C. and Burrows, B. A. Model for renogram interpretation, 314*
Farmelant, M. H. See Bekdik, F. C.
Farrell, R. A. and Hart, R. W. Collimator response in data processing, 315*
Farrer, P. A., Rubin, P., Oestreich, A. E. and Ciccio, S. S. Spleen studies with ^{99m}Tc-labeled erythrocytes, 315*
Farrer, P. A. See Keller, B.
Fawwaz, R., Frye, F., Winchell, H. S. and Lawrence, J. H. Tumor localization with hematoporphyrins, 316*
Featherby, E. A. See Aspin, N.
Feindel, W. See Yamamoto, Y. L.
Fields, T. See Kanabrocki, E.
Figueroa, J. E. See Maxfield, W. S.
Filbee, J. F. and Ibrahim, S. Organ scanning with ^{113m}In, 316*
Filson, E. J. See Rodriguez-Antunez, A.
Finks, S. See Kaplan, E.
Fischer, D. S., Vitale, P. and Barker, L.
Differentiation of medical and surgical jaundice, 382*
Dynamic studies with the digital autofluoroscope, 377*
Fish, M. B., Koch, R. L., Pollycove, M., O'Reilly, S. and Khentigan, A. Scintiphotography of subdural hematoma, 316*
Fish, M. B., Pollycove, M., DeGrazia, J., Cohen, P. and Fleury, K. Human phenylalanine catabolism, 317*
Fish, M. B., Pollycove, M., O'Reilly, S., Khentigan, A. and Kock, R. L. Rapid sequential cranial scintiphotography, 249
Fleay, R. F. See Atkins, H. L.
Fleury, J. See Blanquet, P. C.
Fleury, K. See Fish, M. B.
Fonkalsrud, E. See Suprenant, E.
Forsaith, A. See Izenstark, J. L.
Fowler, J. F. See Westerman, B.
Franco, J. See Coppler, M.
Freeman, L. M., Derman, A. Katz, M. and Meng, C. Combined hepatic scanning and celiac angiography, 317*
Freeman, L. M., Kay, C. J. and Derman, A. Renal excretion of rose bengal, 227
Freeman, L. M., Zelefsky, M. N., Kaplan, N., Meng, C. H. and Bernstein, R. Diagnosis of pulmonary embolism, 394
Friedman, B. I. See Wellman, H. N.
Fritsch, B. A., Brandly, J. M. and Stefanovic, N. Effects of the heart-lung machine on electrolyte balance, 378*
Fromes, B. See Harper, P. V.
Frye, F. See Fawwaz, R.
Fujii, I. See Nagai, T.
Fukase, M. See Ishii, Y.
Fultz, M. See Heck, L.
Galand, P. Mainguet, P., Arguello, M., Chretien, J. and Douxfils, N. Autoradiographic studies of cell proliferation, 37
Galey, D. See Ariel, I. M.
Ganatra, R. D., Ramanathan, P., Patel, M. C., Mehta, M. N., Sharma, S. M., Mani, R. S., Noronha, O. P. D. and Blau, M. ^{131}I-synkol for tumor localization, 318*
Ganatra, R. D. See Sharma, S. M.
Gass, A. P. See Strain, W. H.
Gass, H. See Cassen, B.
Gemmill, W. J., Scott, D. M. and Kramer, H. H. Alternate way to produce ^{113m}In-macro-iron hydroxide, 170
Genna, S. and Burrows, B. A. Constant resolution focusing collimator, 318*
Genna, S. See Farmelant, M. H.
Gerdes, A. J. See Winebright, J. W.
Gerth, V. W. See Bentley, R. E.
Gibbs, W. D., Hodges, H. D. and Lushbaugh, C. C. Radioassay of large samples, 264
Gibbs, W. D. See Edwards, C. L.
Gilchrist, J. See Tieman, J. M.
Gill, J. R. See Evens, R. G.
Gilson, A. J., Marks, A., Smith, E. M. and Smoak, W. M. Ventilation perfusion by rapid scanning, 318*
Gilson, A. J.
See Marks, A.
See Smoak, W. M.
Glass, H. I., Brant, A., Clark, J. C., de Garetta, A. C. and Day, L. G. Blood volume with radioactive carbon monoxide, 571
Glass, H. I., Jacoby, J., Westerman, B., Clark, J. C., Arnot, R. N. and Dixon, H. G. Placental localization using carbon monoxide, 468
Glass, H. I. See Westerman, B. R.
Goldberg, D. See Burke, G.
Goldstein, N. P. See Hamamoto, K.
Gollan, F. See Johnson, A. E.
Goodrich, J. K.
See Robinson, A. E.
See Wilkinson, R. H.
Goodwin, D. A., Miller, S. D. and DeNardo, G. L. Quantitative renal imaging with ^{113m}In-chelates, 319*
Goodwin, D. A.
See Colombetti, L. G.
See DeNardo, G. L.
See Imbornone, C. J.
Gordon, F. See Cuarón, A.
Goswitz, F. A., Edwards, C. L. and Vodopick, H. Erythropoiesis by ferrokinetics and marrow scanning, 319*
Gottlieb, N. L. and Smith, E. M. ^{195}Au myochrysine in rheumatoid arthritis, 319*
Gottschalk, A., Abatie, J. D., Petasnick, J. P., Polcyn, R. E., Beck, R. N. and Charleston, D. B. Sensitivity vs. resolution with ACRH brain scanner, 320*
Gottschalk, A.
See Heck, L.
See Hoffer, P. B.
See Polcyn, R. E.
See Reddy, M.
Gotshall, E. See Johnston, G. S.
Grable, E. and Williams, J. A. Simultaneous plasma volume and red-cell mass, 219
Graham, L. A. See Kanabrocki, E.
Grams, L. R. See Coppler, M.
Greco, J. See Cho, C. M.
Greenberg, A. See Poe, N. D.
Greenberg, E. J., Weber, D. A., Pochaczevsky, R., Kenny, P. J., Myers, W. P. L. and Laughlin, J. S. Quantitative bone scanning, 613
Greenlaw, R. H. See McCormack, K. R.
Gregg, E. C. Performance criteria of scintiscans, 116
Griep, R. J. Scanning soft-tissue calcification with ^{85}Sr, 320*

Groome, D. S. See Brown, D. W.
Groth, C. G. See Brown, D. W.
Gruskin, A. See Blaufox, M. D.
Haft, J. See Johnson, P. M.
Hales, I. B. See Myhill, J.
Halko, A. See Burke, G.
Hall, J. N. and Stiglitz, R. A. Technical adaptations for scintillation camera, 378*
Hamamoto, K., Novak, L. P., Goldstein, N. P. and Tauxe, W. N. Whole-body counting in Wilson's disease, 321*
Hannessen, J. A. See Strain, W. H.
Harbert, J. C., Ashburn, W. L., Mason, D. T. and Davidson, J. D. Image integration system, 321*
Harbert, J. C. See Ashburn, W. L.
Harden, R. McG. See MacFarlane, S.
Harper, P. V., Charleston, D. B., Beck, R. N., Yasillo, N. and Fromes, B. 3-D display of scanning images, 321*
Harper, P. V.
See Anwar, M.
See Cohen, T. D.
See Heck, L.
See Lathrop, K. A.
See Porter, J.
See Reddy, M.
Harris, C. C.
President's Letter, Annual meeting report, 467
President's Letter, Technologists training, 547
Hart, R. W. See Farrell, R. A.
Hasans, S., Weber, D. A., Kenny, P. J. and Laughlin, J. S. Quantitative and photoscanning for brain, 321*
Hayes, M. 3-D phantom, 322*
Hayes, M. and MacDonald, N. S. Short-lived radiopharmaceuticals for kidney scanning, 322*
Hayes, R. L., Byrd, B. L. and Carlton, J. E. ^{113m}In for bone scanning, 323*
Heck, L., Lathrop, K., Gottschalk, A., Harper, P. V. and Fultz, M. Perchlorate washout of pertechnetate from thyroid, 323*
Hellman, C. K., Quirk, J. and Korst, D. R. Stabilizer-free ^{99m}Tc-sulfide colloid, 324*
Hellman, C. K. See Quirk, J. D.
Henderson, W., Martinson, D. and Williams, G. A. Radioisotope procedure sequence, 378*
Hermanson, R. See Colombetti, L. G.
Herrera, N. E. Pulmonary-perfusion abnormalities, 368*
Hilal, S. K. See Johnson, P. M.
Hiraki, T. See Hisada, K.
Hirsch, E. F. See Albert, S. N.
Hisada, K., Hiraki, T., Mishima, T., Watanabe, R., Yokoyama, K., Kato, S. and Wakebayashi, T. Tumor scanning with ^{131}I-fibrinogen, 324*
Hisada, K., Hizume, I. and Matsudaira, M. Digital computer for multinuclide scanning, 550
Hizume, I. See Hisada, K.
Hodges, H. D. See Gibbs, W. D.
Hodkinson, B. See McIntyre, P. A.
Höfer, R., Ogris, E. and Pfeiffer, G. Portosystemic shunts, 624
Hoffer, P. B., Charleston, D. B., Beck, R. N. and Gottschalk, A. Fluorescent thyroid scanning, 324*
Hoge, R. S. See Redekop, J. B.
Holmes, R. A. See Renda, F.
Hopkins, C. See McCormack, K. R.
Horwitz, N. See Izenstark, J. L.
Hosain, F., Reba, R. C. and Wagner, H. N. ^{160}Yb-DTPA for brain scanning, 325*
Hosain, F. See Reba, R. C.
Hubbard, D. L., Sodee, D. B. and Early, P. J. Nuclear-medicine technology training, 379*
Hubbard, D. L. See Early, P. J.
Huddlestun, J. E. See Mishkin, F. S.
Hulme, B., Dykes, P. W., Appleyard, I. and Arkell, D. W. Storage sites of radioactive polyvinylpyrrolidone, 389
Hunkar, D.
See Simmons, G. H.
See Wellman, H. N.
Hunter, W. W. See Myers, W. G.
Hupf, H. B. See O'Brien, H. A.

Iba, G. See Webber, M. M.
Ibrahim, S.
Dose calculations for ^{113m}In, 325*
See Filbee, J. F.
Iinuma, T. A. See Nagai, T.
Iio, M.
See Takayanagi, S.
See Ueda, H.
Iisaka, Y. See Oldendorf, W. H.
Imbach, A., Trahan, L. and Sternberg, J. Seleniated compounds and vitamin E, 325*
Imbornone, C. J., Lane, W. and Goodwin, D. A. Cerebral blood flow by serial scintiphotographs, 326*
Ishihara, Y. See Smith, R. O.
Ishii, Y., Torizuka, K., Fukase, M. and Kuwabara, M. Simulation of radiocardiogram by computer, 326*
Ishikawa, D. See Yasukochi, H.
Isitman, A. T. See Renda, F.
Iwase, T. See Ueda, H.
Izenstark, J. L., Forsaith, A. and Horwitz, N. Pyramidal lobe in thyroid imaging, 327*
Izenstark, J. L., Horwitz, N., Cook, K. and Forsaith, A. Automation of the thyroid-binding test, 327*

Jackson, G. L. and Blosser, N. M. Cerebral blood flow, 327*
Jackson, G. L., Corson, M. L., Baxter, J. and Blosser, N. M. Cellular localization of ^{203}Hg-chlormerodrin in brain tumors, 327*
Jacobi, H. P. See Eskelson, C. D.
Jacobs, K. M., Utiger, R., Dempsey, B. and Potchen, E. J. T-4 resin test, 379*
Jacoby, J. See Glass, H. I.
Jaffee, H. L. See Adams, R.
James, G. W. See Smoak, W. M.
Johns, D. G., Spencer, R. P., Chang, P. K. and Bertino, J. R. ^{131}I-iodoaminopterin as enzyme inhibitor, 530
Johnson, A. E. and Gollan, F. External monitoring of ^{51}Cr-glucose, 328*
Johnson, D. E.
See Swanson, L. A.
See Yamada, H.
Johnson, P. C., Wade, L., Mitchell, C. and Pirtle, O. L. Hg vaporization from chlormerodrin, 145
Johnson, P. C. See Mitchell, C.
Johnson, P. M., Hilal, S. K., Cannon, P. J., Svahn, D. S., Haft, J. and Wood, E. H. Imaging of arterial blood flow, 328*
Johnston, G. S., Cruse, J. R., McIlroy, W. and Kyle, R. W. Localization of ^{197}Hg chlormerodrin and Na^{131}I, 198
Johnston, G. S. Sheehy, T. W., Parmley, L. F. and Boyce, H. W. Liver scan of amebic abscess, 328*
Johnston, G. S., Wade, J. C., Murphy, G. P., Gotshall, E. and Scott, W. W. Prostate scanning, 328*
Jones, B. L. ^{197}Hg-chlormerodrin dosimetry, 464
Jones, L. See Thomas, F. D.
Jones, W. G. See Bell, R. L.
Jump, B. Y. and Niznik, T. T. Pancreas scanning, 379*

Kaihara, S., Carulli, N. and Wagner, H. N. Radioisotopic serum arginase assay, 329*
Kameda, H.
See Takayanagi, S.
See Ueda, H.
Kanabrocki, E., Case, L. F., Graham, L. A., Fields, T., Oester, Y. T. and Kaplan, E. Neutron activation of trace elements in fingernails, 478
Kang, G. S. and DiGiulio, W.
Distribution of toluidine blue, 329*
^{131}I-toluidine blue for parathyroid scans, 643
Kaplan, E. and Ben-Porath, M. Depth discrimination by color scanning, 330*
Kaplan, E., Fink, S., Ben-Porath, M. and Clayton, G. D. Dual-channel pancreas scanning, 330*
Kaplan, E.
See Ben-Porath, M.
See Cho, C. M.
See Kanabrocki, E.
Kaplan, N. See Freeman, L. M.
Katchis, L., Smith, E. M. and Larrea, P. Digitalized data from a multicrystal scanner, 368*
Katchis, L. See Smith, E. M.
Katims, R. K. See Smoak, W. M.
Kato, S. See Hisada, K.
Katz, M.
See Blaufox, M. D.
See Freeman, L. M.
Kaufman, L. See Powell, M. R.
Kawai, N. See Ueda, H.
Kawas, B. See Miller, J. M.
Kawin, B., Winters, E. E. and Sauerbrunn, B. J. L. Radioiso-

topic dilution and kidney retention of ^{197}Hg, 375*
Kay, C. J. See Freeman, L. M.
Kehayioglou, K. See Constantinides, C.
Keller, B., Farrer, P. A., Rubin, P., Davis, T. P. and Martone, R. J. Hybrid II scanner, 330*
Keller, E. L. Collimators for gamma-ray cameras, 233
Keller, E. L. and Coltman, J. W. Modulation transfer in gamma-ray imaging, 537
Kellershohn, C. See Lenihan, J. M. A.
Kelso, A. F. See Townsend, A. A.
Kennady, J. C., Potter, R., Chin, F. and Swanson, L. Assessment of cerebral lesions, 423
Scintiangiography of cerebral hemisphere, 331*
Kennady, J. C. See Knox, R.
Kenny, P. J.
See Benua, R. S.
See Hasan, S.
See Greenberg, E. J.
Kereiakes, J. G.
See Simmons, G. H.
See Wellman, H. N.
Khentigan, A. See Fish, M. B.
King, E. R. and O'Foghludha, F. Short-lived radioisotopes: an overlooked factor, 499
Kinoshita, F. See Yasukochi, H.
Kleiner, E. See Cohen, M. B.
Knox, R., Batzdorf, U. and Kennady, J. C. Human brain cell affinity for radioisotopes, 331*
Kobayashi, T. See Takayanagi, S.
Koch, R. L. See Fish, M. B.
Koda, S. See Nagai, T.
Koh, C. S. See Nagai, T.
Kollmann, G. See Shapiro, B.
Korst, D. R. See Hellman, C. K.
Kostamis, P., Constantinides, C., Binopoulos, D. and Malamos, B. ^{68}Ga metabolism in rabbits, 331*
Kostamis, P. See Constantinides, C.
Kovaleski, B. See Coppler, M.
Kramer, H. H. See Gemmill, W. J.
Kriss, J. P.
Pericardial effusion by isotope angiocardiography, 331*
See Yeh, S.
Kritalugsana, S. See Nilubol, M. L. A.
Kuhl, D. E. and Edwards, R. Q. Brain scanner with computer and CRT display, 332*
Kuwabara, M. See Ishii, Y.
Kyle, R. W. See Johnston, G. S.
Lambert, G. See Sternberg, J.
Lane, W. See Imbornone, C. J.
Lankford, R. See Marks, A.
Larke, B. R. See Nataro, M.
Larrea, P. See Katchis, L.
Lathrop, K. A. and Harper, P. V. ^{90m}Tc uptake in stomach and intestine after $Na^{90m}TcO_4^-$, 332*
Lathrop, K. A.
See Anwar, M.
See Heck, L.
Laughlin, J. S.
See Benua, R. S.
See Hasan, S.
See Greenberg, E. J.
Lawrence, J. H.
See Fawwaz, R.
See Ronai, P.
Lazarus, L. See Young, J. D.
Legeay, R. and Burdine, J. A. Modified Murphy method for serum thyroxine, 379*
Lehan, P. H. See Smith, R. O.
Lenihan, J. M. A., Comar, D., Riviere, R. and Kellershohn, C. Activation analysis *in vivo,* 110
Lerner, S. R., Szafir, J. J., Pirtle, O. L. and Pircher, F. J. ^{99m}Tc-labeled antimony sulfide colloid, 333*
Lerner, S. R.
See Pircher, F. J.
See Stover, J. W.
Levi, M. See Lubin, E.
Levison, H. See Aspin, N.
Levitus, Z. See Lubin, E.
Lieberman, L. M., Beierwaltes, W. H. and Varma, V. Labeled dopamine in adrenal medulla and neuroblastoma, 333*
Lieberman, L. M.
See Beierwaltes, W. H.
See Varma, V.
Lipscomb, P. R. See Tauxe, W. N.
Loken, M. K. and Westgate, H. D. ^{133}Xe for pulmonary function, 45
Louis, H. See Morrison, R. T.
Love, W. D. See Smith, R. O.
Lubin, E., Levitus, Z., Rosenfeld, J. and Levi, M. Scanning the anuric transplanted kidney, 334*
Lubin, E., Levitus, Z. and Shimeoni, A. Sequential kidney scanning, 567
Luchsinger, P. C. See Sauerbrunn, B. J. L.
Lushbaugh, C. C. See Gibbs, W. D.
Lynch, P. A. See Dodge, J. T.
MacDonald, N. S. See Hayes, M.
MacFarlane, S., Papadopoulos, S., Harden, R. McG. and Alexander, W. D. ^{131}I and MIT-^{131}I in urine, saliva and gastric juice, 181
MacIntyre, W. J., Butler, D., Curtis, G. S. and Razzak, M. A. Computer calculation of cardiac output, 334*
MacIntyre, W. J., Pritchard, W. H. and Eckstein, R. W. Extraction efficiency of radiohippuran, 334*
MacIntyre, W. J. See Razzak, M. A.
McAfee, J. G.
See O'Mara, R. E.
See Smith, E. M.
McClain, W. J., Satterfield, M. M. and Dyer, G. R. Scan data processing by digital computer, 368*
McCormack, K. R., Greenlaw, R. H. and Hopkins, C. Liver and brain scanning in bronchogenic carcinoma, 222
McGanity, W. J. See Dawson, E. B.
McHardy-Young, S., Polani, R. E. and Doniach, D. Thyroid studies in Turner's syndrome, 335*
McHardy-Young, S. See DeNardo, G. L.
McIlroy, W. See Johnston, G. S.
McIntyre, P. A., Evatt, B., Scheffel, U. and Hodkinson, B. ^{75}Se-selenomethionine for hematologic investigation, 335*
McQueen, J. D. See Mego, J. L.
McRae, J.
See Anger, H. O.
See Walker, A. G.
Mack, D. A. See Powell, M. R.
Mack, J. F. See Wellman, H. N.
Mackay, J. S. See Bell, T. K.
Mainguet, P. See Galand, P.
Malamos, B.
See Constantinides, C.
See Kostamis, P.
Mallard, J. R. and Wilks, R. J. Evaluation of scanner performance, 96
Mani, R. S. See Ganatra, R. D.
Mante, C. M., Allen, F. H. and Verdon, T. A. Photoscan reversal, 610
Marks, A., Chervony, I., Lankford, R., Smith, E. M., Gilson, A. J. and Smoak, W. Ventilation perfusion relationship in humans, 450
Marks, A. See Gilson, A. J.
Martin, D. See Shapiro, B.
Martinson, D. See Henderson, W.
Martone, R. J. See Keller, B.
Mason, D. T. See Harbert, J. C.
Mason, J. C. See Ashburn, W. L.
Masuoka, D. See Cohen, M. B.
Matsen, F. A. See Burdine, J. A.
Matsuda, Y. See Ueda, H.
Matsudaira, M. See Hisada, K.
Matthews, C. M. E. Detection of tumors by scanning, 86
Maxfield, W. S., Figueroa, J. E. and Birchall, R. Scanning of transplanted kidneys, 336*
Meade, R. C., Carlson, J. C. and Ruetz, P. P. More uniform sensitivity with a scintillation camera, 369*
Mego, J. L. and McQueen, J. D. Formaldehyde-treated ^{131}I-albumin for brain scanning, 74
Mehta, D. See Natarajan, T. K.
Mehta, M. N. See Ganatra, R. D.
Meng, C. H.
See Blaufox, M. D.
See Freeman, L. M.
Menon, M. P. See Dawson, E. B.
Mercier, A. See Sternberg, J.
Miller, J. M., Kawas, B. and Block, M. A. Autonomous function in goiter, 336*
Miller, M. S. and Simmons, G. H. Optimization of technetium brain scan, 429
Miller, S. D. See Goodwin, D. A.
Miller, W. See Early, P. J.
Mirande-Lriberry, J. See Basse-Cathalinat, B.
Mishima, T. See Hisada, K.
Mishkin, F. S. and Reese, I. C. ^{113m}In for scanning bone and kidney, 462
Lung scanning with ^{113m}In, 369*
Mishkin, F. S., Reese, I. C., Chua, G. T. and Huddlestun, J. E. ^{113m}In for scanning bone and kidney, 369*
Mishkin, F. S., Reese, I. C., Hud-

dlestun, J., Carter, J. and DuBois, P. Placental localization with ^{113m}In, 336*
Mishkin, F. S. and Truksa, J. Brain scanning of intracranial cyst, 336*
Mishkin, F. S. See Reese, I. C.
Mitchell, C., Johnson, P. C. and Vogt, F. B. Factors influencing blood-volume determinations, 380*
Mitchell, C. See Johnson, P. C.
Montoya, J. See Strain, W. H.
Moore, W. and Colvin, M. Chromosomal aberrations after ^{131}I administration, 165
Mora, R. See Edwards, C. L.
Morales, J. O. See Beierwaltes, W. H.
Morrison, R. T., Olde, G., Louis, H. and Evans, T. C. Color coding counting-rate data, 140
Mozley, J. M. See Smith, E. M.
Muehllehner, G. Radioisotope imaging in 3-D, 337*
Murphy, G. P. See Johnston, G. S.
Murphy, R. E. See Ashburn, W. L.
Muto, H. See Nagai, T.
Myers, W. G. and Hunter, W. W. $SrCO_3$ aggregates for organ scanning, 337*
Myers, W. P. L. See Greenberg, E. J.
Myhill, J., Hales, I. B. and Oddie, T. H. Iodide and T_4 dynamics in relative iodine deficiency, 370*

Nagai, T., Fujii, I. and Muto, H. *In vivo* fast-neutron activation analysis, 338*
Nagai, T. and Iinuma, T. A. A comparison of differential and integral scans, 202
Nagai, T, Iinuma, T. A. and Koda, S. Computer-focusing for area scans, 507
Nagai, T. and Nishiu, S. Ge(Li) semiconductor detectors, 79
Nagai, T., Solis, B. A. and Koh, C. S. Adrenal gland scanning, 576
Nagai, T. and Watari, K. ^{137m}Ba generator, 608
Nagao, H. See Ueda, H.
Nash, R. and Brill, A. B. Interval determination in scanning, 338*
Natarajan, T. K., Mehta, D. and Wagner, H. N. Data storage, processing and display system for imaging, 338*
Nataro, M., Czerwonka, O. R. and Larke, B. R. Organ imaging with Ektacolor paper, 339*
Neff, R. D. and Cassen, B. Radiation sensitivity of circulating lymphocytes, 402
Nelp, W. B. See Winebright, J. W.
Newton, W. A. See Samuels, L. D.
Nilubol, M. L. A., Chayawatanangkur, K. and Kritalusana, S. Manganese toxication in the human body, 178
Nishiu, S. See Nagai, T.
Niznik, T. T. See Jump, B. Y.
Noronha, O. P. D. See Ganatra, R. D.
North, W. A. See Renda, F.
Novak, L. P. See Hamamoto, K.

O'Brien, H. A. and Hupf, H. B. ^{43}K and ^{67}Cu for medical applications, 340*
Oddie, T. H. See Myhill, J.
Oester, Y. T. See Kanabrocki, E.
Oestreich, A. E. See Farrer, P. A.
O'Foghludha, F. See King, E. R.
Ogris, E. See Höfer, R.
Ojemann, R. G. See Ashare, A. B.
Okuda, K., Shimokawa, Y. and Takara, I. Absorption of food by labeling, 370*
Olde, G. See Morrison, R. T.
Oldendorf, W. H. and Iisaka, Y. Effect of scalp and skull on brain isotope measurement, 339*
O'Mara, R. E., McAfee, J. G. and Subramanian, G. ^{177}Lu and ^{176m}Lu for skeletal imaging, 340*
O'Reilly, S.
See Fish, M. B.
See Weber, P. M.
Oropeza, R. See Ariel, I. M.
Otero, E. ^{198}Au liver scanning in hepatic amebic disease, 406
Otte, W. K. Organization of nuclear medicine laboratory, 383*
Otte, W. K. and Benua, R. S. Calibration of ^{99m}Tc and ^{99}Mo, 380*

Palais, C. J. See Blanquet, P. C.
Papadopoulos, S. See MacFarlane, S.
Parkey, R. W. See Bonte, F. J.
Parmley, L. F. See Johnston, G. S.
Patel, M. C.
See Ganatra, R. D.
See Sharma, S. M.
Patten, D. H. and Benson, D. F. Diagnosis of normal-pressure hydrocephalus, 457
Peer, R. M. See Strain, W. H.
Perez-Mendez, V. See Powell, M. R.
Petasnick, J. P. See Gottschalk, A.
Peterson, R. E.
See Benoit, F. L.
See Cheng, H. F.
See Torres, J. F.
Pfannenstiel, P., Sitterson, B. W. and Andrews, G. A. ^{130}I for studying thyroid-stimulating hormones, 90
Pfeiffer, G. See Höfer, R.
Pircher, F. J., Black, T. C. and Lerner, S. R. Inhalation and perfusion scanning in pulmonary tuberculosis, 340*
Pircher, F. J. See Stover, J. W.
Pirtle, O. L.
See Johnson, P. C.
See Lerner, S. R.
Pittman, J. See Stover, J. W.
Pizer, S. M.
See Ashare, A. B.
See Wilensky, S.
Pochaczevsky, R. See Greenberg, E. J.
Poe, N. D. Quantitating pulmonary perfusion by scanning, 341*
Poe, N. D., Dore, E. K., Greenberg, A., Taplin, G. V. and Yanda, R. L. Early and delayed inhalation lung scans, 341*
Polani, R. E. See McHardy-Young, S.
Polcyn, R. E., Quinn, J. L. and Gottschalk, A. Liver scan artifacts, 342*
Polcyn, R. E.
See Gottschalk, A.
See Reddy, M.
Pollycove, M.
See Fish, M. B.
See Weber, P. M.
Pories, W. J. See Strain, W. H.
Porter, J. and Harper, P. V. Sum coincidence assay with a well-type NaI crystal, 370*
Potchen, E. J.
See Adatepe, M. H.
See Awwad, H. K.
See Bentley, R. E.
See Bugele, B.
See Jacobs, K. M.
See Welch, M.
Potsaid, M. S. See Ashare, A. B.
Potter, R. See Kennady, J. C.
Powell, M. R., Price, D. C., Kaufman, L. Mack, D. A. and Perez-Mendez, V. Spark chambers, 342*
Price, D. C. See Powell, M. R.
Pritchard, W. H.
See MacIntyre, W. J.
See Razzak, M. A.
Quinlan, M. F. and Wagner, H. N. Lung imaging with the pinhole Anger camera, 497
Quinn, J. L.
See Crews, M. C.
See Polcyn, R. E.
See Usher, M. S.
Quirk, J. D. and Hellman, C. K. Preparation of technetium sulfur colloid, 381*
Quirk, J. D. See Hellman, C. K.

Ramanathan, P.
See Ganatra, R. D.
See Sharma, S. M.
Rapp, F. See Burdine, J. A.
Razzak, M. A., Botti, R. E., MacIntyre, W. J. and Pritchard, W. H.
Cardiac output and renal blood flow, 342*
Quantitative analysis of renogram, 371*
Razzak, M. A. See MacIntyre, W. J.
Reba, R. C., Hosain, F. and Wagner, H. N. DTPA chelates for renal structure and function, 342*
Reba, R. C.
See Hosain, F.
See Stern, H. S.
Reddy, M., Harper, P. V., Gottschalk, A. and Polcyn, R. Noise in ^{99m}Tc liver scans, 343*
Redekop, J. B., Walske, B. R., Hoge, R. S., Brodie, E. C. and Towne, J. C. ^{85}Sr scans in devascularized bone, 343*
Reese, I. C. and Mishkin, F. S. Preparation of iron (^{113m}In) hydroxide particles, 128
Reese, I. C. See Mishkin, F. S.
Reif, A. E. Radioiodination of proteins, 148
Renda, F., Holmes, R. A., North, W. A. and Wagner, H. N. Characteristics of thyroid scans, 156
Renda, F., Isitman, A. T., Telatar, M. and Stern, H. S. ^{113m}In scanning in Turkey, 344*

Reuter, S. R. See Ward, C. A.
Rhodes, B. A. See Zolle, I.
Rhoton, A. L. Chlormerodrin-^{197}Hg brain scanning, 16
Richards, P. See Atkins, H. L.
Ritzmann, L. W. See Coiner, D.
Riviere, R. See Lenihan, J. M. A.
Rob, C. G. See Strain, W. H.
Robinson, A. E. and Goodrich, J. K. Inhalation perfusion studies in children, 344*
Robinson, A. E., Rosse, W. F. and Goodrich, J. K. Intrathoracic extramedullary hematopoiesis, 416
Rockoff, M. L. See Spencer, R. P.
Rodriguez-Antunez, A. and Alfidi, R. Comparison of arteriography with liver and pancreas scans, 345*
Rodriguez-Antunez, A., Egleston, T. A. and Filson, E. J. Pancreatic scanning, 371*
Rollo, F. D. See Schultz, A. G.
Rominger, C. J. Using splenic scans to evaluate diaphragmatic hernia, 205
Ronai, P. Elution of ^{51}Cr from labeled cells, 372*
Ronai, P., Winchell, H. S. and Anger, H. O. ^{18}F and ^{85}Sr for bone tumors with camera and scanner, 345,* 517
Ronai, P., Winchell, H. S. and Lawrence, J. H. Whole-body scanning of ^{59}Fe, 345*
Roos, P. See Wiener, J. D.
Rosenfeld, J. See Lubin, E.
Rosse, W. F. See Robinson, A. E.
Rosskelly, D. See Anwar, M.
Rubin, P.
See Farrer, P. A.
See Keller, B.
Ruetz, P. P. See Meade, R. C.
Sachs, C. See Farmelant, M. H.
Saenger, E. L. See Wellman, H. N.
Samuels, L. D. Posterior fossa tumors in children, 346*
Samuels, L. D. and Newton, W. A. Spleen size in sickle cell anemia, 346*
Sasahara, A. A., Belko, J. S. and Simpson, R. G. Multiple-view lung scanning, 187
Sasaki, Y. See Takayanagi, S.
Sassa, R. See Takayanagi, S.
Satterfield, M. M. See McClain, W. J.
Sauerbrunn, B. J. L., Weiss, H., Schiff, M. M. and Luchsinger, P. C. Perfusion lung scans, 346*
Sauerbrunn, B. J. L. See Kawin, B.
Scheffel, U. See McIntyre, P. A.
Schiff, M. M. See Sauerbrunn, B. J. L.
Schultz, A. G. and Rollo, F. D. Absolute thyroid uptake measurement, 347*
Scott, D. M. See Gemmill, W. J.
Scott, W. W. See Johnston, G. S.
Searle, G. L. See Cavalieri, R. R.
Sevelius, G. Precoronary syndrome, 372*
Sfontouris, J. See Constantinides, C.
Shapiro, B., Kollmann, G. and Martin, D. Effects of mercurials on erythrocytes, 347*
Sharma, R. R. See Westerman, B.
Sharma, S. M., Patel, M. C., Ramanathan, P., Ganatra, R. D. and Blau, M. Improved technique to denature red cells for spleen scanning, 348*
Sharma, S. M. See Ganatra, R. D.
Sheehy, T. W. See Johnston, G. S.
Sherman, A. A. Translation of Becquerel's paper, 501
Shimeoni, A. See Lubin, E.
Shimokawa, Y. See Okuda, K.
Short, M. J. See Wilkinson, R. H.
Simmons, G. H., Hunkar, D. and Kereiakes, J. G. Digital rate-meter for rectilinear scanning, 372*
Simmons, G. H. See Miller, M. S.
Simons, J. N. See Tauxe, W. N.
Simpson, R. G. See Sasahara, A. A.
Sitterson, B. W. See Pfannenstiel, P.
Skor, R. B. See Briggs, R. C.
Smith, E. M. and Katchis, L. Digital research scanning system, 373*
Smith, E. M., McAfee, J. G., Mozley, J. M. and Smoak, W. M. Dose estimates for radiopharmaceuticals used for bone scanning, 348*
Smith, E. M.
See Gilson, A. J.
See Gottlieb, N. L.
See Katchis, L.
See Marks, A.
See Smoak, W. M.
Smith, K. R. Autoradiography of drugs, 241
Smith, R. O. Dot-scanning with log tapper and area averaging, 447
Smith, R. O., Love, W. D., Ishihara, Y., Elliott, M. S. and Lehan, P. H. Areas of reduced coronary blood flow detected by serial scans, 348*
Smitten, L. See Tyson, I. B.
Smoak, W. M., Smith, E. M., James, G. W., Katims, R. K. and Gilson, A. J. Evaluation of *in vitro* test to assay serum thyroxine, 349*
Smoak, W. M.
See Gilson, A. J.
See Marks, A.
See Smith, E. M.
Sodd, V. J. and Blue, J. Cyclotron generator of high purity ^{123}I, 349*
Sodee, D. B. Comparison of ^{99m}Tc and ^{197}Hg brain scans, 645
Sodee, D. B. See Hubbard, D. L.
Soiderer, M. H. See Cohn, H. J.
Solis, B. A. See Nagai, T.
Somburanasin, R. See Charkes, N. D.
Sopko, E. See Stover, J. W.
Sorsdahl, O. A. See Bruno, F. P.
Spector, H. See Spencer, R. P.
Spencer, R. P.
Tumor blood flow by the ^{86}Rb method, 350*
See Johns, D. G.
Spencer, R. P. and Brody, K. R. Diselenodibutyric acid, 621
^{75}Se-diselenodibutyric acid, 349*
Spencer, R. P., Rockoff, M. L. and Spector, H. ^{51}Cr-erythrocyte spleen-to-liver ratio, 51
Spetner, L. M. Detection and location of abnormalities in scan data, 350*
Spolter, L. See Cohen, M. B.
Stark, V. Renal localization using ^{99m}Tc-iron complex, 381*
Starzl, T. E. See Brown, D. W.
Stefanovic, N. See Fritsch, B. A.
Steiner, S. H. See Campione, K. H.
Stern, H. S., Anghileri, L. J. and Reba, R. C. Modified ^{99m}Tc-iron complex for kidney scan, 350*
Stern, H. S. See Renda, F.
Sternberg, J. and Lambert, G. Turnover of ^{3}H-L-methionine and ^{75}Se-selenomethionine in isolated perfused liver, 351*
Sternberg, J. and Mercier, A. Dynamic studies with ^{75}Se-cystine in rats, 351*
Sternberg, J. See Imbach, A.
Stevens, G. See Surprenant, E.
Stiglitz, R. A. See Hall, J. N.
Stover, J. W., Lerner, S. R., Sopko, E., Pittman, J. and Pircher, F. J. ^{99m}Tc-labeled antimony sulfide colloid as a scanning agent, 352*
Strain, W. H., Peer, R. M., Thomas, M. R., Gass, A. P. and Pories, W. J. ^{203}Hg-chlormerodrin excretion by cold chlormerodrin, 373*
Strain, W. H., Rob, C. G., Pories, W. J., Hannessen, J. A. and Montoya, J. Zinc binding capacity and zinc levels in serum, 352*
Strauss, B. S. and Blaufox, M. D. Radioisotopic estimation of residual urine, 352*
Strickland, G. T. and Beckner, W. M. ^{51}Cr studies in Wilson's disease, 353*
Studer, R. See Adatepe, M. H.
Subramanian, G. See O'Mara, R. E.
Surprenant, E., Stevens, G., Bennett, L., Webber, M. M. and Fonkalsrud, E. Regional pulmonary function studies in canine lung allografts, 353*
Surprenant, E. See Douglas, C. H.
Sutton, J. D. See Williams, K. D.
Suwanik, R. and Tubis, M. Preparation of ^{131}I-labeled sulfobromophthalein, 354*
Svahn, D. S. See Johnson, P. M.
Swanson, L. A., Yamada, H., Johnson, D. E. and Taplin, G. V. Tomographic capacity of a 10-probe scanner, 354*
Swanson, L. A.
See Kennady, J. C.
See Yamada, H.
Sweet, W. H. See Ashare, A. B.
Szafir, J. J. See Lerner, S. R.
Takara, I. See Okudə, K.
Takayanagi, S., Kobayashi, T., Ueda, H., Kameda, H., Sassa, R., Iio, M. and Sasaki, Y. Semiconductor radiation detector inserted into the gastrofiberscope, 354*
Tani, A. See Ueda, H.
Tanida, R. See Edwards, C. L.
Taplin, G. V.
See Poe, N. D.
See Swanson, L. A.
See Yamada, H.

Tauxe, W. N.
Computer processed and produced scintiscans, 58
See Hamamoto, K.
Tauxe, W. N. and Burke, E. C. Kidney depth and isotope renography, 225
Tauxe, W. N., Lipscomb, P. R. and Simons, J. N. Radionuclides to determine vascularity of pedical skin grafts, 355*
Teates, C. D. Enlarging gamma-camera scans, 64
Telatar, M. See Renda, F.
Thomas, F. D., Beierwaltes, W. H., Jones, L., Colestock, H. and Colvin, T. New scintillation camera, 355*
Thomas, M. R. See Strain, W. H.
Tieman, J. M., Gilchrist, J. and Wellman, H. N. *In vitro* study of myocardial scanning with ^{131}Cs, 381*
Timpe, G. M. Dosimetry of ^{197}Hg and ^{203}Hg-chlormerodrin, 464
Torizuka, K. See Ishii, Y.
Torres, J. F., Brunner, P. N. and Peterson, R. E. ^{75}Se-selenocystine for pancreatic photoscanning, 355
Torres, J. F. See Benoit, F. L.
Towne, J. C. See Redekop, J. B.
Townsend, A. A. and Kelso, A. F. Canine hepatic-circulation studies, 192
Trahan, L. See Imbach, A.
Trow, R. See Brown, D. W.
Truksa, J. See Mishkin, F. S.
Tubis, M. See Suwanik, R.
Turner, J. E. and Weir, G. J. Pulmonary metastases from thyroid carcinoma, 373*
Tyson, I. See Bekdik, F. C.
Tyson, I. B. and Smitten, L. Radiohippuran excretion test, 356*
Ueda, H., Iwase, T., Kameda, H., Iio, M., Tani, A., Nagao, H., Matsuda, Y. and Kawai, N. Neutron activation analysis of Cu and Mn in liver, 356*
Ueda, H. See Takayanagi, S.
Ungay, F. A. See Eberstadt, P.
Usher, M. S. and Quinn, J. L. ^{99m}Tc brain scans in CVA, 356*
Utiger, R. See Jacobs, K. M.
Varga, L. ^{131}I-hippuran contaminants, 604
Varma, V., Beierwaltes, W. H., Counsell, R. E. and Lieberman, L. M. Pancreatic concentration of radioiodinated phenylalanine, 357*
Varma, V.
See Beierwaltes, W. H.
See Lieberman, L. M.
Verdon, T. A. and Allen, F. H. 10-probe scanner, 374*
Verdon, T. A., Cohen, A. and Allen, F. H. Brain scan before carotid-artery surgery, 357*
Verdon, T. A.
See Allen, F. H.
See Mante, C. M.
Vilhuber, H. Renal excretory mechanism of radioactive metal chelates, 357*
Vitale, P. See Fischer, D. S.
Vodopick, H. See Goswitz, F. A.
Vogel, J. M. and Eckert, J. A. Retention of ^{137}Cs, 358*
Vogt, F. B. See Mitchell, C.
Wade, J. C. See Johnston, G. S.
Wade, L. See Johnson, P. C.
Wagner, C. W. T-3 resin uptake using ice-water incubation, 35
Wagner, H. N.
See Deland, F. H.
See Hosain, F.
See Kaihara, S.
See Natarajan, T. K.
See Quinlan, M. F.
See Reba, R. C.
See Renda, F.
See Zolle, I.
Wainerdi, R. E. See Dawson, E. B.
Wakebayashi, T. See Hisada, K.
Walker, A. G. and McRae, J. Renal scanning with a complex of ^{99m}Tc and L-cysteine, 358*
Walsh, J. R. See Coiner, D.
Walske, B. R. See Redekop, J. B.
Waltz, T. A. See Burdine, J. A.
Ward, C. A., Cohn, H. J. and Reuter, S. R. Segmental pancreatic scanning, 382*
Watanabe, R. See Hisada, K.
Watari, K. See Nagai, T.
Webb, D. I. See Chodos, R. B.
Webb, R. C. See Webber, M. M.
Webber, M. M., Iba, G. and Bennett, L. R. Technetium brain scanning, 374*
Webber, M. M. and Webb, R. C. Scintiscanning of endothelial lesions, 358*
Webber M. M. See Surprenant, E.
Weber, D. A.
See Benua, R. S.
See Hasan, S.
See Greenberg, E. J.
Weber, P. M., O'Reilly, S. and Pollycove, M. Gastrointestinal absorption of copper, 359*
Weir, G. J. See Turner, J. E.
Weiss, H. See Sauerbrunn, B. J. L.
Welch, M., Adatepe, M. and Potchen, E. J. Technetium kinetics in humans, 359*
Welch, M. See Bugele, B.
Wellman, H. N., Hunkar, D., Kereiakes, J. and Saenger, E. L. Quantitative cinescintivideography, 420
Wellman, H. N., Mack, J. F., Friedman, B. I. and Saenger, E. L. ^{123}I for thyroid function and scanning, 359*
Wellman, H. N., Mack, J., Hunkar, D. and Kereiakes, J. Quantitative cinescintivideography, 374*
Wellman, H. N., Mack, J. F., Saenger, E. L. and Friedman, B. I. Pulmonary perfusion scintiphotography, 374*
Wellman, H. N.
See Branson, B. M.
See Tieman, J. M.
Weng, T. R. See Aspin, N.
Westerman, B. R. and Glass, H. I. Physical specifications of a gamma camera, 24
Westerman, B. R., Sharma, R. R. and Fowler, J. F. Relative importance of resolution and sensitivity, 638
Westerman, B. R. See Glass, H. I.
Westgate, H. D. See Loken, M. K.
Whitehouse, W. C. See Ashburn, W. L.
Wiener, J. D. and Roos, P. Hormonal radioiodine, 601
Wilensky, S., Ashare, A. B., Pizer, S. M., Burnham, C. A., Aronow, S. and Brownell, G. L. Processing and display of radioisotope data, 360*
Wilkinson, R. H., Short, M. J. and Goodrich, J. K. Renal response to E.S.T. in animals, 360*
Wilks, R. J. See Mallard, J. R.
Williams, C. M. See Bruno, F. P.
Williams, G. A. See Henderson, W.
Williams, J. A. See Grable, E.
Williams, K. D., Cooper, J. F. and Sutton, J. D. Symposium report, reduction of radiation exposure, 83
Winchell, H. S.
See Fawwaz, R.
See Ronai, P.
Winebright, J. W., Gerdes, A. J. and Nelp, W. B. Return of blood-flow following pulmonary embolism, 361*
Winters, E. E. See Kawin, B.
Wood, E. H. See Johnson, P. M.
Workman, J. B. and Connor, T. B. Localization of hyperfunctioning parathyroid adenomata, 361*
Woronowicz, E. Comment on quantitative counting, 171
Yamada, H., Swanson, L. A., Johnson, D. E. and Taplin, G. V. Liver and abdominal scanning in hepatobiliary disease, 361*
Yamada, H. See Swanson, L. A.
Yamamoto, Y. L. and Feindel, W. Circulation-scan method for brain, 362*
Yamazaki, T. See Yasukochi, H.
Yanda, R. L. See Poe, N. D.
Yano, Y. and Anger, H. O.
Ultra short-lived isotopes for visualization, 2, 362*
Ultra short-lived ^{82}Rb for scanning, 412
Yasillo, N. See Harper, P. V.
Yasukochi, H., Kinoshita, F., Ishikawa, D. and Yamazaki, T. Interpretations on the scintigrams of nodular goiters, 375*
Yeh, S., Delahay, J. E. and Kriss, J. P. Liver scanning with ^{99m}Tc-toluidine blue-o-colloid, 362
Yokoyama, K. See Hisada, K.
Young, J. D., Lazarus, L. and Chisholm, D. J. Secretin radioimmunoassay, 641
Young, R. L. and Bradley, E. M. Clinical evaluation of solitary thyroid nodules, 363*
Zelefsky, M. N. See Freeman, L. M.
Zolle, I., Rhodes, B. A., Buchanan, J. W. and Wagner, H. N. Properties and uses of radioactive albumin microspheres, 363*

1968 SUBJECT INDEX

Asterisk indicates abstract

Absorbers
^{125}I and ^{51}Cr counting, 219, 504
^{99m}Tc and ^{99}Mo counting, 380*
Absorption
^{47}Ca in biliary obstruction, 310*
^{57}Co-B_{12}, effect of colchicine and cascara sagrada on, 309*
^{64}Cu, in Wilson's disease, 359*
^{75}Se-labeled lipids, 349*
Acid citrate dextrose (ACD)
excess, RBC for spleen scan, 348*
Activation analysis
see neutron activation analysis
Adrenal
DDD analog, localization, 634
dopamine concentration, 333*
^{131}I-stigmasterol localization, 576
Albumin
also see Iodine-131, albumin; Iodine-125, albumin
microspheres labeled with ^{113m}In and ^{125}I, 363*
^{99m}Tc, for blood-pool scanning, 305*
^{99m}Tc, for CSF rhinorrhea, 523
Albumin, macroaggregated
see Iodine-131, macroaggregated albumin
Alloxan
^{14}C-labeled, uptake in kidney and pancreas, 31
Amebic disease
liver scanning in, 406
Americium-241
fluorescent thyroid scanning, 324*
Amino acids
turnover in isolated perfused liver, 351*
Aminopterin
^{131}I-labeled, enzyme inhibitor, 530
Angiography
correlation with lung scanning, 394
Antimony sulfide
^{99m}Tc-labeled colloid, 333*, 340*, 352*
Area averaging
with dot scanner, 447
Arginine-guanido-^{14}C
arginase determination, in liver disease, 329*
Arsenic-74
brain scans, compared with ^{99m}Tc scintiphotos, 299*
Ascites cells
^{32}P-colloidal chromic phosphate, therapy, 562
Assay
commercial radiopharmaceuticals, 236
sum coincidence, 370*
Atropine alkoloid-^{3}H
autoradiography, 241
Autofluoroscope
digital, for brain blood flow, 327*
digital, for dynamic studies, 377*
Autoradiography
cell proliferation, GI tract with ^{3}H-thymidine, 37
drugs in tissues, 241
^{203}Hg-chlormerodrin, cellular localization in brain tumors, 327*
Barbituric acid-^{14}C
autoradiography, 241
Barium-137m
generator, improved, 608
Bile duct
obstruction, effect on ^{47}Ca absorption, 310*
Blood
cerebral flow and brain scintiphotos with ^{99m}Tc, 303*
pool scanning, with ^{113m}In, 377*, 426
pool scanning, occlusion of mesenteric artery, 305*
^{75}Se-selenomethionine, cohort label for formed elements, 335*
supply to liver and tumor, 297*
vessel visualization, short-lived isotopes for, 2, 362*
Blood flow
see various organs
Blood plasma
^{51}Cr-labeled glucose, clearance from, 328*
protein synthesis measurement, 439
volume and red-cell mass simultaneously with absorbers, 219, 504
volume and red-cell mass simultaneously with ^{125}I and ^{51}Cr, 380*
volume, triple-tracer technique, 19
Bone scanning
^{47}Ca and ^{85}Sr, quantitative, 613
^{18}F and ^{85}Sr, with camera and whole-body scanner, 345*, 517
^{113m}In-citrate, 323*
^{113m}In, gelatin stabilized, 369*, 462
^{176m}Lu and ^{177}Lu, 340*
radiation dose from, 348*
^{47}Sc for scintiphotography, 436
^{85}Sr, in multiple myeloma, 308*
^{85}Sr, in orthopedics, 301*
^{85}Sr, for soft-tissue calcification, 320*
^{85}Sr, vascularization, in dogs, 343*
^{85}Sr, whole-body survey for metastases, 303*
Bone-marrow scanning
^{113m}In-colloid, preparation of, 377*
^{99m}Tc-colloid, for infarcts, 163
^{99m}Tc-sulfur colloid, 381*
Brain
blood flow, with ^{99m}Tc and autofluoroscope, 327*
blood flow, with ^{99m}Tc-pertechnetate, ^{99m}TcAA and ^{133}Xe, 331*, 423
blood flow, with ^{99m}Tc, ^{133}Xe and image intensifier camera, 328*
blood flow and scans, differential diagnosis of tumor and infarct, 362*
blood flow and scans, with ^{99m}Tc, 303*
scintiphotography, blood flow, 326*, 331*, 423
scintiphotography, for CSF rhinorrhea, 523
scintiphotography, with ^{99m}Tc, for subdural hematoma, 316*
scintiphotography, with ^{99m}Tc, for vascular structures, 249
tumor cell affinity, *in vitro*, with $^{99m}TcO_4^-$ and ^{197}Hg, 331*
Brain scanning
ACRH four-detector scanner for, 320*
with blood flow, 303*, 362*
carotid-artery surgery, 357*
CSF flow for hydrocephalus, 302*
^{113m}In compounds, 306*
interference of scalp and skull, 339*
intracranial cyst, 336*
^{131}I-albumin, formaldehyde treated, 74
^{197}Hg-chlormerodrin, in bronchogenic carcinoma, 222
^{197}Hg-chlormerodrin, optimum time, 16, 645
quantitative and photoscan comparison, 321*
^{99m}Tc and ^{74}As, comparison of camera and positron scanner, 299*
^{99m}Tc, in cerebrovascular accidents, 356*
^{99m}Tc, choroid plexus meningioma, 131
^{99m}Tc and ^{197}Hg-chlormerodrin, comparison, 645
^{99m}Tc, optimum time and position, 429
^{99m}Tc, pertechnetate kinetics, effect of ClO_4^- and I^-, 359*

^{99m}Tc, phantom for tumor localization, 86
^{99m}Tc, posterior fossa in children, 346*
^{99m}Tc, rectilinear and transverse section views, 332*
^{99m}Tc, in unilateral nerve deafness, 311*
^{99m}Tc, variations of posterior fossa, 374*
tissue vascularity, in positive scans, 310*
tomography, with ten-probe scanner, 354*
^{169}Y-DTPA, 325*

Bylaws
SNM, 590

Calcification
soft tissue, ^{85}Sr scans, 320*

Calcium-47
absorption in biliary obstruction, 310*
dosimetry, for bone scanning, 348*
quantitative bone scanning, 613

Camera, positron
bone, with ^{18}F, 517
heart and kidney, with ^{82}Rb, 412

Camera, scintillation
arterial blood flow, 328*
bone, with ^{177}Lu and ^{176m}Lu, 340*
bone, with ^{47}Sc, 436
brain blood flow, 303*, 326*, 327*, 331*
brain, subdural hematoma, 316*
brain, vascular structures, 249
cardiopulmonary dynamics, 306*
collimator design, 233, 638
comparison with positron scanner, in brain, 299*
CSF rhinorrhea, 523
display, three-dimensional, 308*, 321*, 494
dynamic studies with digital computer, 304*
dynamic studies, quantitative, 374*
dynamic studies with TV system, 300*, 312*, 321*, 420, 554
enlargement of scintiphotos, 64, 378*
evaluation with three-dimensional phantom, 322*
image intensifier, for brain, 423
improvements, 378*
kidney blood flow, with ^{133}Xe, 304*
kidney, with ^{113m}In-EDTA, 319*
kidney response, electric-shock therapy, in dogs, 360*
kidney structure and function, ^{113m}In-DTPA and ^{169}Y-DTPA, 342*
kidney, with ^{99m}Tc-iron complex, 381*
liver, compared with celiac angiography, 317*
liver, visualization techniques, 343*
lung function, with ^{133}Xe, 45, 300*
lung, oblique views, 374*
lung, with pinhole, 497
objective lens system for, 355*
patient picture orientation, 270, 378*
performance criteria by MTF, 116, 210, 537
performance specifications, 24
pericardial effusion, 332*
sensitivity adjustment, 369*
transmission photos, 267

Camera, spark chamber
applications, 342*
Spintharicon, for thyroid, 327*

Carbon-11
assay by sum coincidence, 370*
monoxide, inhalation, for placental localization, 468
monoxide, RBC label, 571
RES and lung scanning, with labeled $SrCO_3$ aggregates, 337*

Carbon-14
alloxan uptake, in kidney and pancreas, 31
arginine, arginase determination, 329*
autoradiography, drug distribution, 241
cholesterol biosynthesis, *in vitro*, 314*
dopamine, adrenal medulla uptake, 333*
inulin, GFR, 357*
phenylalanine, catabolism, 317*
phenylalanine, pancreas uptake, 357*

Carcinoma
bronchogenic, liver and brain scans in, 222
lung scanning, with ^{131}I-MAA, 365*
thyroid, ^{130}I for studying effect of TSH, 90
thyroid, pulmonary metastases, case report, 373*

Cardiac
see Heart

Case report
bone infarct scanning, with ^{99m}Tc-colloid, 163
intrathoracic extramedullary hematopoiesis, 416
liver regeneration after hepatectomy, 587
pulmonary metastases from thyroid carcinoma, 373*

Celiac angiography
comparison with liver scans, 317*

Cerebral blood flow
see brain blood flow

Cesium-128
generator-produced, for scintiphotography, 362*

Cesium-131
myocardial scanning, phantom studies, 381*

Cesium-137
for ^{137m}Ba generator, 608
retention, following accidental internal deposition, 358*

Chelates
renal excretion mechanism, 357*

Children
abnormalities in, caused by x-ray during gestation, 471

Chlormerodrin
also see Mercury-197, chlormerodrin; Mercury-203, chlormerodrin
effect on excretion of ^{203}Hg-chlormerodrin, in rats, 373*

Cholesterol
biosynthesis, *in vitro*, with ^{14}C, 314*

Chromatography
of ^{131}I-hippuran, 604

Chromium-51
antistreptolysin-o determination, 382*
chelate, renal excretion mechanism, 357*
elution from cells, 372*
glucose labeling with $^{51}CrCl_3$, 328*
RBC, liver-to-spleen ratio, 51
RBC, for red-cell mass, 380*
RBC, for spleen scans, denatured by excess ACD, 348*
RBC, in triple-tracer studies, 19
RBC, in Wilson's disease, 353*
spleen scans, for diaphragmatic hernia, 205

Chromosome
aberrations from ^{131}I, in hamster thyroid, 165

Circadian variation
of free T-4 and T-3 resin uptake, 298*

Cisternography
for CSF rhinorrhea, with camera, 523
for hydrocephalus with ^{131}I-HSA, 457

Cobalt-57
B_{12} absorption, 370*
B_{12} absorption, effect of colchicine, 309*
B_{12}, for parathyroid localization, 361*
B_{12}, Schilling test, 382*
chelate, renal-excretion mechanism, 357*
standard, in ^{99m}Tc assay, 380*

Cobalt-58
hematoporphyrin complex for tumor localization, 316*

Coincidence counting
assay of nuclides emitting multiple coincident photons, 370*

Colchicine
effect on B_{12} absorption, 309*

Collimator
constant resolution, 318*
design, for cameras, 233, 638
evaluation by MTF, 116
pinhole, for lung imaging with camera, 497
response function in optimum data processing, 315*

Colloid
^{113m}In-labeled, preparation of, 298*, 310*, 316*, 344*, 366*, 377*, 426
^{99m}Tc-antimony sulfide, preparation of, 333*
^{99m}Tc-sulfur, preparation of, 324*, 333*, 381*
Color imaging
Ektacolor paper, 339*
depth discrimination, with two opposing detectors, 330*
kinescope, three-color, 338*
Compartmental models
transform analysis, 365*
Computer
cardiac output from dye-dilution curves, 334*
digital, for camera data processing, 304*
digital, for multinuclide scanning, 550
digital, for scan data processing, 58, 305*, 368*, 507
digital scanning, multifunction, 373*
radiocardiogram simulation studies, 326*
rapid brain scanner with, 332*
spleen-to-liver ratio for ^{51}Cr-labeled RBC, 51
transform analysis of compartmental models, 365*
Copper
in fingernails by activation analysis, 478
in liver by activation analysis, 356*
Copper-64
chelate, renal-excretion mechanism, 357*
gastrointestinal absorption, 359*
in Wilson's disease by whole-body counting, 321*
Copper-67
production from ^{67}Zn, 340*
Coronary
blood flow by serial scans with ^{42}K, 348*
Counting
standards, 171
Cows
see Generators
Cyclotron
generator for ^{123}I, 349*
Cysteine
^{99m}Tc-complex, preparation for renal scanning, 358*
Data processing
with camera for pancreas, 486
computer focusing for scans, 507
effects of collimator response on, 315*
location of scan abnormalities, 350*
Deoxyribonucleic acid
synthesis in rectal mucosal epithelium, *in vitro*, 37
Depth
color modulation, two opposing detectors, 330*
Detector
for large samples, NaI(Tl), 264, 313*
semiconductor, for GI tract, 354*
semiconductor, for high-resolution gamma spectrometry, 79
Differential
scans, in comparison with integral scans, 202
Digital
scanning compared with photoscanning, 135
scanning system, multifunction, 373*
Digital computer
see Computer
Digitalis
assay by RBC uptake of ^{86}Rb, 377*
Diiodo-DD
^{131}I-labeled, adrenal scanning, 634
Diphenylhydantoin-^{14}C
autoradiography, 241
Display system
blending for thyroid anatomy, 66
characteristics, evaluated with phantom, 96
computer, 360*
contour diagrams for brain scans, 338*
performance and information capacity, 116
photoscan reversal, 610
three-color kinescope, 338*
three-dimensional, camera, 308*, 321*
TV circuitry, for camera, 300*, 312*, 321*, 420, 554
Dopamine-^{14}C
adrenal medulla and neuroblastoma, concentration in, 333*
Dosimetry
of bone-scanning agents, 348*
^{113m}In compounds, 325*
^{197}Hg-chlormerodrin, 464
^{197}Hg- and ^{203}Hg-chlormerodrin, 206, 464, 502
short-lived nuclides, 499
symposium report, 83
Education
nuclear-medicine technology, 379*
Ektacolor paper
color scans on, 140, 339*
Electrolysis
method for iodinating leukocytes, 308*
Electrolyte balance
heart-lung machine effects, 378*
Endothelial lesions
^{99m}Tc-MAA for scanning, 358*
Enzyme
serum arginase in liver disease, 329*
Enzyme inhibitor
^{131}I-aminopterin, 530
Erythrocyte
see Red blood cell
Extracellular fluid
volume, triple-tracer technique, 19
Fetus
radiation injury timetable, 471
Fibrinogen
^{131}I-labeled for tumor scanning, 324*
Fingernail
trace elements by activation analysis, 478
Fluorine-18
assay by sum coincidence, 370*
bone scintiphotos compared with ^{85}Sr scans, 345*, 517
dosimetry as bone-scanning agent, 348*
Galium-68
absorption and excretion in rabbits, 331*
dosimetry as bone-scanning agent, 348*
Gamma-ray spectrometry
high resolution with Ge(Li) detector, 79
Gastric secretion
^{99m}Tc-pertechnetate in rats, 297*
Gastro-fibroscope
semiconductor detector for GI-tract malignancy, 354*
Gastrointestinal tract
cell proliferation, autoradiography, 37
^{99m}Tc-pertechnetate localization, 332*
Ge(Li) semiconductor detector
high-resolution gamma-ray spectrometry, 79
Generators
see Indium-113m; Technetium-99m
^{100m}Ag-^{100}Cd, 2
^{137m}Ba-^{137}Cs, 608
^{191m}Ir-^{191}Os, 2, 362*
short-lived activities for visualizing blood vessels and organs, 362*
Glomerular filtration rate
^{14}C-inulin, 357*
^{113m}In-DTPA and ^{169}Yb-DTPA, 342*
^{125}I-iothalamate, 358*, 582
metal chelates, 357*
Glucose
^{51}Cr-labeled, preparation and plasma clearance of, 328*
Gold
in fingernails, by activation analysis, 478
Gold-195
myochrysine, for rheumatoid arthritis, 319*

Gold-198
dual-channel subtraction, for pancreas, 330*, 486
liver scans, in amebic disease, 328*, 406
liver scans, false positive, 309*
lung ventilation scanning, with aerosol, 341*
Half-life
biological, ^{75}Se-selenomethionine in man, 168, 303*
Heart
arterial blood flow, by camera, 328*
dynamic studies, with ^{99m}Tc and camera, 306*
pericardial effusion, with ^{99m}Tc and camera, 331*
radiocardiogram, computer calculation, 334*
radiocardiogram, in precoronary syndrome, 372*
radiocardiogram, intracardiac injection, 630
radiocardiogram and renal blood flow, 342*
radiocardiogram, simulation by analog computer, 326*
^{82}Rb, for visualization with positron camera, 412
Heart-lung machine
electrolyte balance, 378*
Hematopoiesis
intrathoracic extramedullary, 416
Hippuran
see Iodine-131-hippuran; Kidney renography
Hydrocephalus
cisternography, with ^{131}I-HSA, 302*, 457
Hydrogen-3
see Tritium
Image intensifier camera
brain blood flow with, 328*
Indium-113m
albumin microspheres, preparation and organ uptake, 363*
for bone scanning, 323*
colloids, for liver and spleen, 298*
colloids, preparation of, 298*, 310*, 316*, 334*, 366*, 377*, 426
colloids, preparation and distribution of, in mice, 310*
compounds, for brain scanning, 306*
compounds, quality control, 310*
compounds, for scanning, 316*, 426
dosimetry, 325*
DTPA-chelate, for kidney structure and function, 342*
EDTA-chelate, for kidney scanning, 319*, 322*
gelatin-stabilized, for bone and kidney scanning, 369*, 462
gelatin-stabilized, for placental scanning, 336*
iron hydroxide, for lung scanning, 366*, 369*
iron hydroxide, for lung, liver and spleen scanning, 344*
iron hydroxide, production of, 128, 170, 344*, 366*, 369*, 377*, 426
iron hydroxide, production and testing of, 170
Indium-114
chelate, renal-excretion mechanism, 357*
Integral
scans, in comparison with differential scans, 202
Interference
in sequential isotope procedures, 378*
Inulin
^{14}C-labeled, GFR, 357*
Iodinated contrast materials
interference in T-4 test, 379*
Iodine-123
albumin microspheres, preparation and organ uptake, 363*
cyclotron generator for production of, 349*
thyroid function and localization, compared to ^{131}I, 359*
Iodine-125
assay, by sum coincidence, 370*
iothalamate, for GFR, 358*
leukocyte labeling by electrolysis, 308*
phenylalanine concentration in pancreas, 357*
quinoline for melanoma scanning, 489
secretin, immunoassay, 641
thyroid scanning, isotope of choice, 504
T-4 test for thyroid function, 349*, 379*
Iodine-125, albumin
microaggregated, for RES function, 482
plasma volume, determined with, 219, 380*, 504
triple-tracer studies, 19
Iodine-127
neutron activation analysis of thyroid iodine, 110
Iodine-130
TSH effects in thyroid cancer, 90
Iodine-131
absolute uptake in thyroid, 347*
aminopterin, enzyme inhibitor, 530
BSP preparation, for liver scanning, 354*
chromosomal aberrations in hamster thyroid, 165
diiodo-DD, adrenal scanning, 634
effect on PBI with tracer dose, 263
ethiodol, treatment of malignant lymphoma, 299*
female reproductive tract, 198
fibrinogen, tumor-scanning agent, 324*
iodoaminopterin, enzyme inhibitor, 530
iothalamate, for GFR, 582
iodoquine, for melanoma scanning, 492
protein labeling, high efficiency, 148
PVP retention and storage, 389
quinoline, for melanoma scanning, 301*, 489, 492
radiation sensitivity of thyroid cell function, 313*
rose bengal, kidney uptake in liver scans, 227
rose bengal, for liver scans in jaundice, 382*
secretion in hyper- and euthyroid, 181
stigmasterol, adrenal scanning, 576
synkol, tumor-scanning agent, 318*
therapy for toxic nodular goiter, high and low doses, 307*
thyroid function and localization, compared to ^{123}I, 359*
vascularity of pedical skin grafts, 355*
Iodine-131, albumin
brain scanning, interference of scalp and skull, 339*
cisternography, for hydrocephalus, 302*, 457
CSF rhinorrhea, with camera, 523
formaldehyde-treated, for brain scanning, 74
liver circulation, in dogs, 192
radiocardiogram, 342*, 372*, 630
Iodine-131, hippuran
anuric transplant, renogram and scan, 334*
asymmetric parenchymal disease by renogram, 356*
contaminants by chromatography, 604
quantitative renogram, 371*
renal blood flow, 342*
renal extraction efficiency, 334*
renogram model verification, in dogs, 314*
residual urine during renograms, 352*
transplant, sequential scanning, 567
Iodine-131, macroaggregated albumin
intrasplenic, portosystemic shunts, 624
lung perfusion, with Hybrid II scanner, 330*
lung perfusion and inhalation, in children, 344*
lung perfusion and inhalation, in tuberculosis, 340*
lung perfusion, quantitative, 341*
lung perfusion and ventilation, with ^{133}Xe, 318*, 450
lung, radioactive emboli, 367*
lung scan, for bullous lesions, 346*
lung scan, in carcinoma, 365*
lung scan, correlated with angiography, 394
lung scan, of women on oral contraceptives, 368*
lung scans, multiple views, 187
Ion binding
by isotopic exchange, 175
Iridium-191m
blood vessel and organ visualization, 2, 362*
Iron-59
chelate, renal-excretion mechanism, 357*
kinetics and distribution of erythropoietic marrow, 345*
thoracic scanning for extramedullary hematopoiesis, 416

Iron hydroxide
see Indium-113m, iron hydroxide
Isotopic exchange
for ion-binding measurement, 175
Kidney
blood-flow and cardiac output, 342*
blood flow, with ^{133}Xe, in dogs, 304*
blood flow, with ^{133}Xe and ^{99m}Tc, 328*
digital autofluoroscope for dynamic studies, 377*
excretory mechanism of metal chelates, 357*
interference, in liver scans with rose bengal, 227
^{131}I-hippuran, extraction by renal parenchyma, 334*
Kidney, glomerular filtration rate
see Glomerular filtration rate
Kidney, renography
asymmetric parenchymal disease, 356*
effect of depth, 225
electric shock therapy response, 360*
model, verification in dogs, 314*
residual urine, 352*
subtraction of extrarenal activity, 371*
transplanted, 336*
transplanted, anuric, 334*
Kidney, scanning
^{113m}In-chelates, 319*, 322*, 342*
^{113m}In, gelatin-stabilized, 369*, 462
^{82}Rb, with positron camera, 412
^{99m}Tc-cysteine complex, preparation of, 358*
^{99m}Tc-iron ascorbic acid complex, 350*, 381*
^{99m}Tc-iron complexes, 322*
transplant, 334*, 336*, 567
^{169}Yb-DTPA, 342*
Labeling
leukocytes with ^{125}I by electrolysis, 308*
proteins with ^{131}I, high efficiency, 148
Laminar scan
depth of small metastases, 313*
Lanthanum-140
chelate, renal-excretion mechanism, 357*
Leukocytes
iodination by electrolysis, 308*
Lipids
^{75}Se-labeled, for absorption, 349*
Liver
arginase assay, 329*
circulation, in dogs, 192
Cu and Mn levels, by activation analysis, 356*
^{51}Cr-labeled RBC, spleen-to-liver ratio, 51
^{59}Fe uptake, 345*
regeneration after hepatectomy, 587
^{86}Rb, tumor uptake, 302*
^{99m}Tc-sulfur colloid, turnover and toxicity, 309*
tumor blood supply, 297*
Liver scanning
in amebic disease, 328*, 406
artifacts, 342*
in bronchogenic carcinoma, 222
celiac angiography, comparison, 317*, 345*
digital and photoscanning comparison, 135
false positives, 309*
^{198}Au and ^{75}Se-selenomethionine, dual channel, 330*
^{113m}In-colloid, preparation of, 298*, 366*, 377*, 426
^{113m}In-iron hydroxide, preparation of, 344*
^{131}I-BSP, preparation of, 354*
^{131}I-rose bengal serial scans for jaundice, 361*, 382*
^{99m}Tc-antimony sulfide colloid, 352*
^{99m}Tc-antimony sulfide colloid, preparation of, 333*
^{99m}Tc-sulfur colloid, preparation of, 381*
^{99m}Tc-sulfur colloid, scintiphoto technique, 343*
^{99m}Tc-toluidine blue colloid, preparation and distribution of, 362*
transplanted, ^{99m}Tc-sulfide colloid, 306*
Lung
blood flow, ^{99m}Tc scintiphotos, 306*
emboli, radioactive, from ^{131}I-MAA, 367*
inhalation and perfusion, in children, 344*
inhalation and perfusion, in tuberculosis, 340*
perfusion recovery after embolism, 361*
pinhole collimator for scintiphotography, 497
ventilation, with ^{133}Xe, 312*
ventilation and perfusion, quantitative scanning, 318*, 450
ventilation and perfusion, with ^{133}Xe, 45, 300*
Lung scanning
^{113m}In-iron hydroxide, preparation of, 128, 170, 344*, 366*, 369*, 377*, 426
by inhalation, early and late, 341*
^{131}I-MAA and angiography, comparison of, 394
^{131}I-MAA, for bullous lesions, 346*
^{131}I-MAA, for carcinoma, 365*
^{131}I-MAA, multiple views, 187, 374*
^{131}I-MAA, quantitative limitations, 341*
^{131}I-MAA, in women on oral contraceptives, 368*
strontium carbonate aggregate, ^{11}C, ^{85m}Sr, ^{87m}Sr, preparation of, 337*
Lutetium-176m, 177
bone-scanning agent, 340*
dosimetry as bone-scanning agent, 348*
Lymphocytes
radiation sensitivity, 402
Lymphoma
treatment with ^{131}I-ethiodol, 299*
Macroaggregated albumin
see Iodine-131, macroaggregated albumin
Manganese
in blood, urine and CSF, by activation analysis, 178
in fingernails, by activation analysis, 478
in liver, by activation analysis, 356*
Manganese-52
hematoporphyrin complex for tumor localization, 316*
Melanoma
quinoline derivatives for scanning, 301*, 489, 492
Mercurhydrin
promotion of excretion of ^{203}Hg-chlormerodrin, in rats, 373*
Mercury-197, chlormerodrin
brain scanning, optimum time, 16, 645
brain tumor cell affinity, 331*
dosimetry, 206, 464, 502
localization in female reproductive tract, 198
retention, effect of thiomerin, in rats, 375*
Mercury-203
hematoporphyrin complex, for tumor localization, 316*
labeled mercurials, effects on red cells, 347*
Mercury-203, chlormerodrin
brain tumor cell localization, 327*
dosimetry of, 206, 464, 502
excretion, promotion by chlormerodrin or mercurhydrin, in rats, 373*
retention, effect of thiomerin, in rats, 375*
vaporization of ^{203}Hg, 145
Microaggregated serum albumin
^{125}I-labeled for RES function, 482
Modulation transfer function
digital ratemeter for scanning, 372*
performance of scanners, 116, 210
scintillation limitations in camera, 537
Molybdenum-99
assay in eluate from ^{99m}Tc generator, 380*
^{99m}Tc extraction with MEK, 298*
Mono-iodo-tyrosine-^{131}I
excretion in hyper- and euthyroid, 181
Myocardium
^{131}Cs, phantom scanning, 381*
Myochrysine
^{198}Au-labeled, for rheumatoid arthritis, 319*
Neohydrin
see Mercury-197, Mercury-203, chlormerodrin

Neuroblastoma
dopamine concentration, 333*
Neutron activation analysis
copper and manganese in liver, 356*
fingernail trace elements, 478
manganese in body fluids, 178
placental trace metals, 160
thyroid iodine, *in vivo*, 110
total-body nitrogen, protein and phosphorus, *in vivo*, in mice, 338*
Nuclear Medicine
definition of, 465
radiation dose reduction, symposium report, 83
Ovary
localization of ^{131}I and ^{197}Hg-chlormerodrin, 198
Pancreas
^{14}C-alloxan uptake, 31
digital subtraction, for scintiphotos, 486
function, by glucose tolerance and insulin assay, 302*
localization of labeled phenylalanine, 357*
Pancreas scanning
celiac arteriography, comparison, 345*
dual channel, with ^{75}Se and ^{198}Au, 330*
^{75}Se-selenocystine, 355*
^{75}Se-selenomethionine, clinical experience, 371*
^{75}Se-selenomethionine, with 5-in. scanner, 379*
^{75}Se-selenomethionine, intra-arterial injection, 382*
Parathyroid
^{57}Co-vitamin B_{12} for localization, 361*
toluidine blue, comparison with selenomethionine uptake, 329*, 643
Pediatrics
pulmonary ventilation and perfusion, 344*
Pentobarbital-^{14}C
autoradiography, 241
Perchlorate
^{99m}Tc-pertechnetate washout from thyroid, 323*
Pericardial effusion
scintiphotography with ^{99m}Tc, 331*
Phantom
brain-tumor localization, with ^{99m}Tc, 86
camera, for uniform sensitivity, 369*
heart scanning, with ^{131}Cs, 381*
organ, inexpensive, 271
scanner performance, 96, 210, 260
three dimensional, for scanner and camera, 322*
Phenobarbital-^{14}C
autoradiography, 241
Phenylalanine
localization in pancreas, 357*
Phenylalanine-^{14}C
catabolism, 317*
Phosphorus-32
colloidal chromic phosphate, i.p. therapy, 562
GI tract malignancy, with semiconductor detector, 354*
Pinhole collimator
lung imaging with camera, 497
Placenta
activation analysis of trace metals, 160
^{11}CO, by inhalation, for localization of, 468
^{113m}In, gelatin stabilized, for scanning, 337*
Plasma
see Blood plasma
Porphyrin
complexes, for tumor localization, 316*
Portosystemic shunts
^{131}I-MAA scanning, 624
Potassium-38
assay by sum coincidence, 370*
Potassium-42
reduced coronary blood flow, by serial scans in dogs, 348*
Potassium-43
production, from ^{42}Ca, 340*
Precoronary syndrome
hemodynamics in, 372*
President's letter
AEC and FDA, regulation of radiopharmaceuticals, 1, 43
bylaws and certification, 210, 467
examining board in nuclear medicine, 89
technician training, 547
Protein-bound iodine (PBI)
cation exchange resin, 601
effect of tracer ^{131}I on, 263
Proteins
^{113}I labeling, high-efficiency, 148
plasma, measurement of synthesis, 439
Prostate gland
scanning with ^{65}Zn or ^{69m}Zn, 328*
Pulmonary function
see Lungs
Quality control
for short-lived radiopharmaceuticals, 310*
Quinoline
^{125}I-labeled for melanoma scanning, 301*, 489
^{131}I-labeled for melanoma scanning, 492
Radiation dose
see Dosimetry
Radiation sensitivity
of lymphocytes, 402
of thyroid-cell function, 313*
Radioactivity
discovery of, by Becquerel, 501
Radioautography
see Autoradiography
Radiocardiogram
see Heart
Radiopharmaceuticals
assay, 236
Ratemeter
digital, for scanning, 372*
Red blood cells
^{11}CO-labeled, for blood volume, 571
^{51}Cr-labeled, antistreptolysin-o determination, 382*
^{51}Cr-labeled, double-tracer technique with absorber, 219, 504
^{51}Cr-labeled, excess ACD, spleen scanning, 348*
^{51}Cr-labeled, spleen-to-liver ratio, 51
^{51}Cr-labeled, triple-tracer technique, 19
^{51}Cr-labeled, in Wilson's disease, 353*
effect of ^{203}Hg mercurials on, 347*
^{99m}Tc-labeled, spleen scan and blood flow, 315*
Renal, renography
see Kidney
Reproductive tract
female, localization of ^{131}I and ^{197}Hg-chlormerodrin, 198
Resolution
section scanner, improved, 307*
sensitivity and resolution, ACRH scanner, 320*
sensitivity and resolution, camera, 638
Reticuloendothelial system
^{125}I-HSA microaggregates, 482
Rose bengal, iodine-131
kidney uptake, in liver scans, 227
liver scanning for jaundice, 361*, 382*
Rubidium-82
heart and kidney, using positron camera, 362*, 412
Rubidium-86
analysis of cardiac glycosides, 377*
tumor blood flow, 350*
uptake, in liver metastases, 302*
Saturation analysis
thyroxine in serum, 311*
Scandium-47
for bone, with camera, 436

Scanner
ACRH four probe, resolution, 320*
collimator response function, 315*
digital, multifunction, 373*
dual-channel, for depth discrimination, 330*
dual-channel, for pancreas, 330*
Hybrid II, 330*
laminar scans, for depth of metastases, 313*
multi-isotope, with digital computer, 550
multi-isotope, with tape recorder, 304*
performance criteria, by MTF, 116, 210
performance with phantom, 96, 260, 322*
positron, compared to camera, 299*
rapid rectilinear, 374*
section, high speed, 307*
statistical optimization, 310*
ten-detector, for tomography, 354*
whole-body bone survey, with ^{85}Sr, 517
whole-body, profile, 366*
Scanner, display
color recording, for ten-probe scanner, 297*
computer focusing for area scans, 507
computer processing, 305*
differential and integral scans, comparison of, 202
digital, by computer, 368*
digital and photoscannnig of brain, 321*
digital and photoscanning of liver, 135
Ektacolor paper, 140
log tapper, area averaging, 447
overlap photoscan, 312*
photoscan reversal, 610
Scanning
see specific organs
Schilling test
simplified, 382*
Secretin
radioimmunoassay, 641
Selenium-75
diselenodibutyric acid, absorption, 349*, 621
selenite, kinetics, in E deficient rats, 325*
selenocystine, kinetics, in irradiated rats, 351*
selenocystine, pancreas scanning, 355*
Selenium-75, selenomethionine
half-life, in man, 168, 303*
for hematologic investigations, 335*
kinetics, in E deficient rats, 325*
pancreas scanning, arterial injection, 382*
pancreas scanning, clinical experience, 371*
pancreas scanning, dual-channel technique, 330*
pancreas scanning, with 5-in. scanner, 379*
pancreas scintiphotos, subtraction of liver, 486
turnover in isolated perfused liver, 351*
Semiconductor detector
high-resolution gamma-ray spectrometry, 79
Sephadex
for free T-4 levels in serum, 307*
Silver-109m
blood vessel and organ visualization, 2
Sodium
in fingernails, by activation analysis, 478
Sodium-22
electrolyte balance, effects of heart-lung machine, 378*
Sodium-24
exchangeable sodium, by whole-body counter, 314*
Spleen
^{51}Cr-RBC, spleen-to-liver ratio, 51
^{59}Fe uptake by, 345*
^{99m}Tc-RBC, scintiphotography and blood flow, 315*
Spleen scanning
^{51}Cr-RBC, diaphragmatic hernia, 205
^{51}Cr-RBC, excess ACD technique, 348*
^{113m}In-colloid, preparation of, 298*, 377*, 426
^{113m}In-iron hydroxide, preparation of, 344*
^{131}I-MAA, portosystemic shunts, 624
^{99m}Tc-antimony sulfide colloid, preparation of, 333*
^{99m}Tc-sulfur colloid, preparation of, 381*
^{99m}Tc-sulfur colloid, for size estimation, 346*
Statistics
criteria for scans, 310*
Stereoscopic visualization
with camera, 308*, 494
Stigmasterol
^{131}I-labeled, adrenal scanning, 576
Stomach
^{99m}Tc-pertechnetate localization, 332*
Strontium carbonate
^{87m}Sr, ^{85m}Sr or ^{11}C aggregate, for scanning lungs and RES, 337*
Strontium-85
bone scanning, compared to ^{18}F, 345*, 517
bone scanning, devascularization, in dogs, 343*
bone scanning, in myeloma, 308*
bone scanning, in orthopedics, 301*
bone scanning, quantitative, 613
bone scanning, whole body, 303*
dosimetry, as bone-scanning agents, 348*
scanning, for soft-tissue calcification, 320*
Strontium-85m, 87m
dosimetry, as bone-scanning agents, 348*
RES and lung scanning with $SrCO_3$ aggregates, 337*
Sulfur-35
sulfate space, with triple-tracer technique, 19
Sulfur colloid
see Technetium-99m, sulfur colloid
Symposium
reducing radiation exposure, 83
Synkol
^{131}I-labeled, tumor-scanning agent, 318*
T-3
resin uptake, automation, 327*
resin uptake, and free T-4, 298*
resin uptake, ice water incubation, 35
T-4
see Thyroxine
Tape recorder
simultaneous multi-isotope scanning with, 304*
Tapper
logarithmic, dot scanning, 447
Technetium-99m
albumin, inhalation scintiphotography, 344*
albumin macroaggregates, for endothelial lesions, 358*
albumin microaggregates, for brain scintiphotography, 331*
albumin, for splanchnic blood-pool scanning, 305*
antimony sulfide colloid, for inhalation scanning, 340*
antimony sulfide colloid, for liver scanning, 352*
antimony sulfide colloid, preparation of, 333*
assay, lead-filter method, 380*
chelate, renal-excretion mechanism, 357*
cysteine complex, for kidney scanning, 352*
iron complexes, for kidney scanning, 322*, 350*, 381*
radiopharmaceuticals, quality control, 310*
RBC, for spleen scanning and blood flow, 315*
Technetium-99m, pertechnetate
arterial blood flow, scintiphotography, 328*
brain blood flow, with autofluoroscope, 327*
brain scanner for, rectilinear and transverse section, 332*
brain scanning, cerebrovascular accident, 356*
brain scanning, comparison with ^{197}Hg, 645
brain scanning, interference of scalp and skull, 339*
brain scanning, for meningioma of choroid plexus, 131
brain scanning, optimum time and position, 429
brain-scanning phantom, 86
brain scanning, for posterior fossa, 374*
brain scanning, for posterior fossa, in children, 346*
brain scanning, resolution and sensitivity, 320*
brain scanning, for unilateral nerve deafness, 311*
brain scintiphotography, arterial, 328*, 331*

brain scintiphotography, for blood flow, 303*, 326*
brain scintiphotography, for subdural hematoma, 316*
brain scintiphotography, for vascular characterization, 249
brain scintiphotos, compared to ^{74}As positron scans, 299*
brain tumor-cell affinity, 331*
cardiopulmonary dynamics, with camera, 306*
dynamic function studies, with camera, 420
extraction from ^{99}Mo, with MEK, 298*
gastric secretion, in rats, 297*
GI tract localization, 332*
kinetics, effect of I^- and ClO_4^-, 359*
perchlorate washout from thyroid, 323*
pericardial effusion, with camera, 332*
thyroid anatomy, with data blending, 66
thyroid scan and uptake, 7
vascularity of pedical skin grafts, 355*

Technetium-99m, sulphur colloid
bone-infarct scanning, 163
liver scanning, false positives, 309*
liver scanning, after transplantation, 306*
liver scintiphotography, technique, 343*
preparation of, 324*, 381*
spleen scanning, for sickle-cell anemia, 346*
turnover and toxicity, 309*

Television
image recording and integration, in camera, 300*, 312*, 321*, 420, 554

Therapy
^{131}I-ethiodol, for malignant lymphoma, 299*
^{131}I, thyrotoxicosis, 367*
^{131}I, for toxic nodular goiter, 307*
^{32}P-colloidal chromic phosphate, i.p., in rats, 562
^{86}Rb, for liver tumor, 302*

Thiomerin
chlormerodrin retention, in rats, 375*

Thymidine-^{3}H
cell proliferation in GI tract, 37

Thyroid
chromosomal aberrations after ^{131}I, in hamsters, 165
iodide and thyroxine dynamics, 370*
neutron activation analysis of iodine, *in vivo*, 110
perchlorate washout of pertechnetate, 323*
radiation sensitivity, cell function, 313
solitary nodules, clinical evaluation, 363*
spark chamber scintiphotography, 327*
therapy, with ^{131}I, for thyrotoxicosis, 367*
therapy, with ^{131}I, for toxic nodular goiter, 307*
Turner's syndrome, 335*

Thyroid, scanning
characteristics, in normal and abnormal, 156
depth of small metastases, with tomography, 313*
fluorescent, with ^{241}Am, 324*
^{123}I, compared to ^{131}I, 359*
^{125}I, isotope of choice, 504
^{130}I, effect of TSH, 90
^{130}I, for study in thyroid cancer, 90
nodular goiter, 375*
sporadic multinodular goiter, 336*
with ^{99m}Tc-pertechnetate, 7, 66

Thyroid, uptake
iodine, absolute, 347*
^{123}I, compared to ^{131}I, 359*
^{130}I, effect of TSH, 90
sporadic multinodular goiter, 336*

Thyroxine
levels and T-3 resin uptake, 298*
in serum, 366*
in serum, effect of T-3, 367*
in serum, gel filtration chromatography, 307*, 311*
resin uptake, evaluation, 349*
resin uptake, in presence of contrast agents, 379*

Toluidine blue
parathyroid uptake, comparison with selenomethionine, 329*, 643
^{99m}Tc-labeled colloid, preparation for liver scanning, 362*

Tomography
computer program, 337*
ten-probe scanner, 354*
thyroid metastases, 313*

Toxicity
of ^{99m}Tc-sulfur colloid, 309*

Trace elements
fingernail, by activation analysis, 478

Trace metals
placenta, by activation analysis, 160

Training
nuclear-medicine technology, 379*, 547

Transmission
scintiphotography, 267

Triiodothyronine
see T-3

Tritium
methionine, for liver turnover, 351*
thymidine, cell proliferation in GI tract, 37

Tumor
blood flow, with ^{86}Rb, 350*
localization, hematoporphyrin, 316*
localization, ^{131}I-fibrinogen, 324*
localization, ^{131}I-synkol, 318*

Turnover
amino acids, in isolated perfused liver, 351*
^{99m}Tc-sulfur colloid, 309*

Vascular
structures, brain scintiphotography, 249

Vascularity
pedical skin grafts, 355*
positive brain scans, 310*

Ventilation
lung, with ^{133}Xe, 45, 300*, 312*, 318*, 450

Vitamin B_{12}
absorption, effect of colchicine, 309*
parathyroid localization, 361*
Schilling test, 382*

Vitamin E
deficiency, kinetics of ^{75}Se compounds, 325*

Whole-body
counter, ^{64}Cu, Wilson's disease, 321*
counter, exchangeable sodium, 314*
scans, of bone marrow, 345*
scans, profile, 366*

Xenon-133
brain perfusion, 328*, 331*
heart perfusion, 328*
kidney perfusion, 304*, 328*
lung perfusion, 45, 300*
lung ventilation, 45, 300*, 312*, 318*, 450

X-radiation
abnormalities in children exposed during gestation, 471

Ytterbium-169
DTPA, for brain scanning, 325*
DTPA, kidney uptake and scan, 342*

Zinc
in serum, 352*

Zinc-62
hematoporphyrin complex, tumor localization, 316*

Zinc-65
chelate, renal-excretion mechanism, 357*

Zinc-65, 69m
prostate scanning, 328*

Zirconium-95
stool marker, GI absorption, 359*